

Kāpiti District Endemic Flora Species List

A species guide to use for Restorative Planting

Compiled by Environmental Restoration Officer - Matt Ward 2009-2012
Updated March 2024



Kāpiti Endemic Flora Species List

Matt Ward

Kāpiti Coast District Council 2009-2012

RESTORE 2012 - Present

This list is compiled of all the known historical and contemporaneously documented endemic flora species observed in any part of the area presently known as the Kāpiti District. The district is comprised of five Ecological Districts, the Foxton Ecological District is the largest represented, and therefore all available known botanical lists from it including those outside the Kāpiti District have been used to contribute to this compilation.

I would like to think there are many more species to add!

INTRODUCTION

The introduction and explanation of the reasoning behind the format of this list is aimed at making the restoration planner/planter aware of the factors which will make a project respectful to its surroundings and successful in the long term. The italicized Latin species name is followed by capital letters which describe the macro scale ecological district. The Māori name is next, then the English or common name. The final column is the habitat type which the plant favours this will help the user make a considered decision on species that will thrive to be made.

This list has been compiled from botanical survey data undertaken by competent and/or respected botanists from contemporary and historical times (see reference list). If the referenced list contained an imprecise description of a plant species for example “*oxalis* sp.”, the entry was excluded from the list. Further additions have been made with the help of InaturalistNZ observations confirmed to a research grade, these have been verified by peers with knowledge, in this instance the author has also used discretion, to ensure species are accurately identified, and wild not cultivated.

This list uses the most up-to-date Latin nomenclature, this may therefore not appear in the original botanical lists sourced, prompting the historically used name or synonym to “See” the new name. The synonyms are listed at the end of each section. Up-to-date information was used from the online resource, “New Zealand Plant Conservation Network”, [website](#). The Māori translations of Latin species names are found in the online “Māori Dictionary -Te Aka Māori-English, English-Māori Dictionary”, [website](#).

Any species I or anyone else have recently personally observed and evaluated as naturally occurring in that area have been listed. This is expressed as a bracketed number in green referring to an observation date, beside the Latin name which then corresponds to the reference list at the end of the document, for example, “*Carmichaelia odorata* M,T(1)” (Due to additional botanical lists being found and further observations added, these personal observations may not appear chronologically).

ECOLOGICAL DISTRICTS

An Ecological Zone is defined by using topography, geology and soil, for example, the Foxton Ecological District is low-lying sand country of a geologically recent composition. The Kāpiti District is made up of five ecological districts.

- (C) Cook Strait Ecological District = Paekākāriki escarpment and rocky shore zone, Kāpiti Island.
- (F) Foxton Ecological District = Ōtaki dune lands, Otaihangā, Waikanae dune lands, Paekākāriki dune lands.
- (M) Manawatu Plains Ecological District = Eastern Ōtaki, Eastern Waikanae.
- (T) Tararua Ecological District = Eastern Paekākāriki, Rekorangi, Paraparaumu hills, Raumati escarpment.
- (W) Wellington Ecological District = Flat section above and east of the Paekākāriki escarpment.

The capital letters immediately following each species name (*Alectryon excelsus* ssp. *excelsus* C,F,M,T,W), refer to the ecological district in which it has been recorded as referred to in **Figure 1**. If a copy of this list is used which has only one capital letter following the Latin name, then that list has been specifically extracted as a reference re-vegetation list suitable to a project in that ecological district. For example, a list of species with “M” would suggest this is a list of Manawatu Plains Ecological District species suitable for use in that ecological district.




Figure 1. Location and extent of the Ecological Districts featured within the Kāpiti Coast District

CONSERVATION STATUS

A newly added (2018) category to this document. Due to the continued decline in conservation status of many of our species (de Lang et. al., 1999; de Lang et. al., 2004; de Lang et. al., 2006; de Lang et. al., 2013; de Lang et. al., 2018) since this document was created in 2009-2010 and prior, it seemed important to add the status of each of the species featured. There are seven categories of Conservation Status recognised in New Zealand (Townsend et. al., 2008). Within three of these categories there are sub-categories totaling 13 to cover the scope of each status with accuracy, details of the qualifying factors can be viewed in detail in the 2008 New Zealand Threat Classification System Manual see <https://www.doc.govt.nz/Documents/science-and-technical/sap244.pdf>. A brief summarised description (Townsend et. al., 2008) of the status breakdown is as follows:

EXTINCT – *Taxa which without doubt the last individual has died.*

DATA DEFICIENT – *Taxa which may be threatened or belong to a threat category but there is a lack of information.*

THREATENED

NATIONALLY CRITICAL – *Taxa with either a very small population (natural or unnatural); or small population (natural or unnatural) with a moderate ongoing or predicted decline of 50–70%; or population (irrespective of size or number of subpopulations) with a very high ongoing or predicted decline of > 70%.*

NATIONALLY ENDANGERED – *Taxa with small population (natural or unnatural) that has a low to high ongoing or predicted decline; or small stable population (unnatural); or moderate population and high ongoing or predicted decline.*

NATIONALLY VULNERABLE – *Taxa with small, increasing population (unnatural); or moderate, stable population (unnatural); moderate population, with population trend that is declining; or moderate to large population and moderate to high ongoing or predicted decline; or large population and high ongoing or predicted decline.*

AT RISK

DECLINING – *Taxa with moderate to large population and low ongoing or predicted decline; or large population and low to moderate ongoing or predicted decline; or very large population and low to high ongoing or predicted decline.*

RECOVERING - *Taxa that have undergone a documented decline within the last 1000 years and now have an ongoing or predicted increase of > 10% in the total population or area of occupancy, taken over the next 10 years or three generations, whichever is longer.*

RELICT - *Taxa that have undergone a documented decline within the last 1000 years, and now occupy < 10% of their former range.*

NATURALLY UNCOMMON - *Taxa whose distribution is confined to a specific geographical area or which occur within naturally small and widely scattered populations, where this distribution is not the result of human disturbance.*

NON-RESIDENT NATIVE

VAGRANT - *Taxa whose occurrences, though natural, are sporadic and typically transitory, or migrants with fewer than 15 individuals visiting New Zealand per annum.*

COLONISER - *Taxa that otherwise trigger Threatened categories because of small population size, but have arrived in New Zealand without direct or indirect help from humans and have been successfully reproducing in the wild only since 1950.*

NOT THREATENED - *Resident native taxa that have large, stable populations.*

INTRODUCED AND NATURALISED - *Taxa that have become naturalised in the wild after being deliberately or accidentally introduced into New Zealand by human agency. Only taxa that have previously been treated as indigenous in the New Zealand Threat Classification System are listed.*

HABITAT

The habitat in which the botanical surveys or my observations have found the species are noted in a separate column. The habitats generally correlate with the “Native Planting Zones” seen in the Kāpiti Coast District Council (1999) publication “Growing Native Plants in Kāpiti”. It is important that species used in restorative planting are able to cope with the habitat in which they are placed. Although planting areas are site specific, for example having a range of possible microclimates and wind/sun/soil scenarios unique to that small area, the relevance of using plants with the capability to handle all conditions that they may encounter should be considered. Some species are suitable in a range of habitat types. The Kāpiti district has several different habits, (**Figure 2.**) these habitats are as follows:




Figure 2. Habitat examples and relative situations which are similar to those in the Kāpiti Coast District

(SE) Saline Estuary = river mouth areas where tidal variation affects the margins and surrounding wet areas.

(CE) Coastal Escarpment = this coastline zone often includes rock faces, shale slopes, is highly exposed and may include seeps.

(FD) Fore Dune = this is the area directly next to the sea which is exposed and highly dynamic.

(ED) Established Dune = this is the area directly behind the fore-dunes and represents older established dune-land.

(DS) Dune-land Stream = streams which normally have steep eroded banks and meander across the established dune-land.

(DW) Dune-land Wetland = wet areas which may vary in water content seasonally.

(RM) Riparian Margin = this describes the areas around lakes, swamps, and riverbanks.

(LT) Lowland Terrace = these areas are higher than dune-lands and drain freely due substrate composition.

(FS) Forest Seepage/Wetland = these are places which are usually wet year-round and within/or near forested areas.

(FM) Forest Margin = the area surrounding existing forest which allows plenty of light and some shelter.

(FE) Foothills, Escarpment = the intermediary areas between lowland terrace and montane forest habitats.

(M) Montane = the area moving higher toward and including the Tararua ranges, often with steep hills and high rain fall.

SITE CONDITIONS

The most common conditions which need to be considered for a plant's ability to survive can be simplified into; Water-logging; Salinity; Frost; Drought; Soil moisture preferences. Tolerance to these conditions can be the make or break of a specimen's survival in the long-term. For information about these tolerances, each individual species needs to be investigated further, this information is beyond the scope of this botanical list. The habitat in which a plant has naturally been found is a good starting point to finding suitable species for restoration planting projects.

UPDATE 2018/19

Since the July 2014 update quite a few nomenclature changes have been made, adjusted and added. These include;

- The final accepted re-naming of the *Hebe* family to *Veronica* (Garnock-Jones et. al., 2007), due to *Hebe stricta* var. *atkinsonii* not being recognised in the new nomenclature it has been left as is in this text.
- The *Urtica* genus was redefined, leading to the epithet of some of our species to change (Grosse-Veldmann et. al., 2016).
- Many of the fern names have changed (Gasper et. al., 2016; PPG I., 2016) including some of the filmy ferns (Labiak et. al., 2015; Brownsey & Perrie, 2016).
- Some new orchids have been recognised these were representatives of the *Gastrodia* (Lehnebach et. al., 2016a) and *Corybas* genera (Lehnebach et. al., 2016b; Lehnebach, 2016c)
- The *Uncinia* genus name has been amalgamated with the *Carex* genus (Villaverde & Global Carex Group, 2015) after it was found genetically to sit right in the middle of it.
- The *Collospermum* genus has been amalgamated with the *Astelia* genus (Birch, 2015).
- The recognition of the numerous new species within the *Cardamine debilis* aggregate (Heenan, 2017).

In addition, two more tables have been compiled to capture the newly published 'Conservation Status of New Zealand Indigenous Vascular Plants, 2017' (de Lang et. al., 2018). These tables encapsulate more of the situation and condition under which the Kāpiti Districts native flora exists.

Within this update numerous species have been added to each category of vascular plants. This has been achieved using further research into the exemplary resource the NZPCN website provides as well as some personal finds. Any new species added that are not present on an accessed botanical list have been obtained from historical National Vegetation Surveys (NVS) or Department of Conservation records. These are referenced at the end of the document list under the year of observation and general location or plot number. For example, '**National Vegetation Survey** (1975) *Pimelea longifolia* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59499 Accessed November 8th, 2018' for NVS observations and '**Department of Conservation** (1967) *Leptinella maniototo*, Waikanae Estuary. New Zealand Plant Conservation Network Plant distribution data. Accessed November 26th, 2018' for DOC observations. Any additional finds made by the author have been referenced as per the introduction on page 3.

UPDATE 2024

Since the 2018/19 update further renaming of species has occurred including;

- Miro, Latin genus name changed (Page, 2019).
- The Ladies tresses orchid, Latin name species changed (Pace *et. al.*, 2019).
- The hounds tongue ferns Latin genus names all changed (Testo *et. al.*, 2019).
- Many of the clubmosses Latin genus were updated (Hassler, 2019).
- *Utricularia dichotoma* was recognised as a subspecies (Jobson & Baleiro, 2020).
- Kanono, Latin species name corrected (Large *et. al.*, 2020).
- Pātōtara, Latin name changed (Crayn *et. al.*, 2020).
- Kamahi, Latin genus name changed (Pillon *et. al.*, 2021).
- Kohekohe, Latin genus name changed (Holzmeyer *et. al.*, 2021).
- The recognition of a branch of the *Olearia* family being renamed as *Macrolearia* (Saldivia *et. al.*, 2022).
- Plume grasses, Latin genus name changed (Peterson *et. al.*, 2022).
- Kāretu reverted to an older Latin genus name.

The author was challenged by P. Enright that some of the NVS updates in 2018/19 were inaccurate, so they have been amended, using The Australasian Virtual Herbarium <https://avh.chah.org.au/> to cross reference the finds. This means some of the numbers of species have been reduced, not gone extinct, thankfully.

A few new species have been added to the list including a very rare orchid, which is very cool.

- *Aciphylla intermedia* was added despite not being recognised on NZPCN as it is a natural hybrid (Mark, 2012; Allan, 1961).

A new section has been added to the document “LIVERWORTS, HORNWORTS & MOSES”, this is more convenience than purposeful as bryophytes are rarely propagated. The user of this list may want to know what bryophytes* are nearby or in fact present in an area, so this additional section may provide some answers. The species added are mostly from InaturalistNZ observations, so can be looked up to see pictures readily. The details regarding number of species present (see table 1) are taken from reports by Fife *et.al.* 2010, & de Lange *et.al.* 2020.

***Bryophytes** are non-vascular plants which have no roots or vascular tissue, they absorb all their needs through their surfaces (leaves), allowing them to reside in places vascular plants cannot, e.g. rock faces, walls, footpaths etc.

Table 1 is a comparative table of the species (excluding hybrids) recorded in the Kāpiti District compared as a percentage to New Zealand as a whole. This shows the species richness in Kāpiti; however, it may also show which species botanists are more familiar with. Thanks to the rise in use of the iNaturalist online resource, citizen science has led to more species being recorded, and then added to the list. A notable group which seems under-represented is bryophytes, eg the newest addition to the list, this is very likely due to the complicated steps and accurately understanding involved in identifying this group, now there's a challenge.

The table below shows a couple of reductions in percentage of species present this fortunately is due to more species being recognised not a loss of species present in the District.

Table 1. Kāpiti Species present compared to New Zealand

Category	Kāpiti 2024 [2018] (2014)	New Zealand 2024	% of New Zealand 2024 [2018] (2014)
GYMNOSPERM TREES	8 [8] (6)	21	38% [38%] (29%)
MONOCOT TREES	4 [4] (4)	8	50% [57%] (57%)
DICOT TREES/SHRUBS	167 [166] (147)	628	27% [27%] (26%)
MONOCOT LIANES	2 [2] (2)	2	100% [100%] (100%)
DICOT LIANES	26 [26] (25)	49	53% [54%] (48%)
MOSSES (534), LIVERWORTS AND HORNWORTS (770)	27	1304	2%
CLUBMOSSES & QUILLWORTS	6 [4] (5)	15	46% [31%] (38%)
FERN & FERN ALLIES	126 [124] (113)	201	63% [63%] (59%)
ORCHIDS	56 [52] (47)	118	47% [45%] (45%)
GRASSES	49 [46] (38)	222	22% [21%] (18%)
SEDGES	88 [84] (79)	180	49% [47%] (44%)
RUSHES & ALLIED SPECIES	17 [17] (16)	45	38% [38%] (33%)
MONOCOT HERBS OTHER THAN ORCHIDS, GRASSES, SEDGES	31 [30] (29)	68	46% [44%] (48%)
DAISY-LIKE HERBS (COMPOSITES)	57 [52] (44)	274	21% [20%] (17%)
DICOT HERBS OTHER THAN COMPOSITES	197 [183] (151)	724	27% [26%] (24%)
Total	861 [806] (706)	3859	22% [32%] (30%)

Table 2 is a comparative table of the Threat Classification of species recorded in the Kāpiti District compared as a percentage to New Zealand as a whole. This shows the species vulnerability in Kāpiti; however, it fails to recognise that within the Kāpiti District the species present may be at more risk than the national population of that species in general, for example the species *Olearia odorata* is nationally classified as Not Threatened, yet in the Kāpiti District there are only a handful of original specimens left due to human induced habitat modification.

Table 2. Threat Classification of Kāpiti Species compared to New Zealand

Category	Kāpiti 2024[2018](2012)	N. Z. 2018(2012)	% of N. Z. 2024[2018]	% of Kāpiti List 2024[2018]
EXTINCT	0	7 (8)	0%	0%
DATA DEFICIENT	9 [8] (4)	107 (77)	8% [7%]	1.1% [1%]
THREATENED – NATIONALLY CRITICAL	13 [12] (9)	213 (155)	6% [6%]	1.6% [1.5%]
THREATENED – NATIONALLY ENDANGERED	5 [6] (6)	77 (62)	6% [8%]	0.6% [0.7%]
THREATENED – NATIONALLY VULNERABLE	20 [19] (19)	113 (72)	18% [17%]	2.3% [2.3%]
AT RISK - DECLINING	39 [38] (31)	158 (102)	25% [24%]	4.8% [4.7%]
AT RISK - RECOVERING	0	8 (7)	0%	0%
AT RISK - RELICT	5 [5] (5)	23 (13)	22% [22%]	0.6% [0.6%]
AT RISK – NATURALLY UNCOMMON	33 [31] (22)	662 (626)	5% [5%]	3.9% [3.8%]
NON-NATIVE VAGRANT	1 [1] (0)	14 (12)	7% [7%]	0.1% [0.1%]
NON-NATIVE COLONISER	0	20 (17)	0%	0%
NOT THREATENED	709 [686] (610)	1383 (1428)	51% [50%]	85% [85%]
INTRODUCED AND NATURALISED	0	1 (1)	0%	0%
Total	834 [806] (706)	*2786 (2580)	30% [29%]	100%

*The total number of species considered for Threat Classification is greater than the total recognised species. This is due to the panel of scientists evaluating indeterminate entities (tag named) in case their conservation status changes. This gives a total discrepancy of 274 taxa.

The botanical list which follows from page 12 onwards will show each of the above Threat Classifications as seen below:

E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised

Table 3 shows the split of threatened plants between the categories in which they reside. This shows the percentage of plants which are threatened per category suggesting which category of plant are most or least under pressure.

Table 3. Threat Classification of Kāpiti Species as per category of plant

Threat Classification	Categories of Vascular plants													
	GYMNOSPERM TREES	MONOCOT TREES	DICOT TREES/SHRUBS	MONOCOT LIANES	MONOCOT LIANES	DICOT LIANES	FERN & FERN ALLIES	ORCHIDS	GRASSES	SEDGES	RUSHES & ALLIED SPECIES	DICOT HERBS OTHER THAN COMPOSITES	DAISY-LIKE HERBS (COMPOSITES)	MONOCOT HERBS OTHER THAN ORCHIDS, GRASSES, SEDGES
EXTINCT														
DATA DEFICIENT			3		1		2			1				2
THREATENED – NATIONALLY CRITICAL			5				1	2					1	4
THREATENED – NATIONALLY ENDANGERED			1										1	4
THREATENED – NATIONALLY VULNERABLE			7		5				1			1		5
AT RISK - DECLINING			10				2	4	6	1	1	3	12	
AT RISK - RECOVERING														
AT RISK - RELICT			2						1				1	1
AT RISK – NATURALLY UNCOMMON			4		1		7	6	1		2	2	3	7
NON-NATIVE VAGRANT														1
NON-NATIVE COLONISER														
NOT THREATENED	8	4	135	2	19	4	118	44	42	81	14	27	48	161
INTRODUCED AND NATURALISED														
Total % of Threatened Species per category	0%	0%	23%	0%	27%	0%	7%	27%	14%	8%	18%	13%	16%	18%

Latin name	Māori name	Common name	Status	Habitat
GYMNOSPERM TREES				
<i>Dacrycarpus dacrydioides</i> C,F,M,T,W	Kahikatea	Kahikatea, white pine	NT	ED, DW, LT
<i>Dacrydium cupressinum</i> C,F,M,T,W	Rimu	Rimu, red pine	NT	ED, LT, M
<i>Pectinopitys ferruginea</i> C,F,M,T,W	Miro	Brown pine	NT	ED, LT, FE, M
<i>Phyllocladus alpinus</i> T		Mountain celery pine, mountain toatoa	NT	FE, M
<i>Phyllocladus toatoa</i> T	Toatoa	Toatoa	NT	RM, LT, FS, FE, M
<i>Podocarpus laetus</i> T	Totara-kiri-kotukutuku	Mountain totara, Hall's totara	NT	FE, M
<i>Podocarpus totara</i> var. <i>totara</i> C,F,M,T,W	Tōtara	Tōtara	NT	LT
<i>Prumnopitys taxifolia</i> C,F,M,T	Mataī	Black pine	NT	ED, DW, RM, LT, FE, M
MOST RECENT SYNONYMS				
<i>Podocarpus cunninghamii</i> See <i>Podocarpus laetus</i>				
<i>Podocarpus dacrydioides</i> See <i>Dacrycarpus dacrydioides</i>				
<i>Podocarpus hallii</i> See <i>Podocarpus cunninghamii</i>				
<i>Podocarpus spicatus</i> See <i>Prumnopitys taxifolia</i>				
<i>Prumnopitys ferruginea</i> See <i>Pectinopitys ferruginea</i>				
MONOCOT TREES				
<i>Cordyline australis</i> C,F,M,T	Tī kōuka	Cabbage tree	NT	ED, DW
<i>Cordyline banksii</i> F,T	Ti ngahere, ti rakau	Cabbage tree	NT	ED, LT, FE, M
<i>Cordyline indivisa</i> T	Toi	Broad-leaved or mountain cabbage tree	NT	M
<i>Rhopalostylis sapida</i> C,F,M,T	Nīkau	Nīkau	NT	DW, RM, LT, FS, FM, FE
DICOT TREES/SHRUBS				
<i>Alectryon excelsus</i> subsp. <i>excelsus</i> C,F,M,T,W	Titoki	Titoki	NT	ED, DW, LT, M
<i>Alseuosmia pusilla</i> T			NT	M
<i>Androstoma empetrifolium</i> T			NT	M
<i>Aristotelia fruticosa</i> T(41)		Mountain wineberry	NT	LT, FE, M
<i>Aristotelia serrata</i> C,F,M,T,W	Makomako	Wineberry	NT	FM, M
<i>Ascarina lucida</i> var. <i>lucida</i> T	Hutu	Hutu	NT	LT, M
<i>Beilschmiedia tarairi</i> F	Taraire	Taraire	NT	ED, DW, LT, M
<i>Beilschmiedia tawa</i> C,F,M,T,W	Tawa	Tawa	NT	ED, DW, LT, M
<i>Brachyglossis bidwillii</i> T			NT	M
<i>Brachyglossis elaeagnifolia</i> T(37)			NT	M
<i>Brachyglossis repanda</i> C,F,M,T,W	Rangiora	Tree daisy	NT	CE, LT, M
<i>Brachyglossis Kirkii</i> var. <i>kirkii</i> T(20)	Kohurangi	Kirk's daisy	TNV	FE, M
<i>Carmichaelia arborea</i> C,F,T,W		South Island or swamp broom	NT	CE, ED, LT
<i>Carmichaelia australis</i> C,F,T	Tainoka, taunoka	Common broom	NT	FE, M
<i>Carmichaelia odorata</i> T(1)		Scented or leafy broom	NT	RM
<i>Carpodetus serratus</i> C,F,M,T,W	Putaputaweta	Marbleleaf	NT	LT, M
<i>Coprosma acerosa</i> C,F	Tarakupenga	Sand coprosma	ARD	ED
<i>Coprosma areolata</i> C,F,M,T,W		Thin-leaved coprosma	NT	ED, FM, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Coprosma autumnalis</i> C,F,M,T,W	Kanono	Kanono	NT	ED, DW, RM, FE, M
<i>Coprosma cheesemanii</i> T			NT	M
<i>Coprosma colensoi</i> T			NT	FE, M
<i>Coprosma crassifolia</i> C,F,M			NT	ED, LT
<i>Coprosma depressa</i> T			NT	M
<i>Coprosma dumosa</i> T(31)			NT	RM, LT, FE, M
<i>Coprosma foetidissima</i> T	Hūpiro	Stinkwood, shit shrub	NT	FE, M
<i>Coprosma linariifolia</i> T	Mikimiki	Yellow wood	NT	LT, FE, M
<i>Coprosma lucida</i> C,F,M,T	Karamū	Shining karamū	NT	LT, FE, M
<i>Coprosma microcarpa</i> T		Small-seeded coprosma	NT	LT, FE, M
<i>Coprosma parviflora</i> T		Leafy coprosma	NT	LT, FE, M
<i>Coprosma pedicellata</i> T			ARD	M
<i>Coprosma perpusilla</i> ssp. <i>perpusilla</i> T			NT	M
<i>Coprosma propinqua</i> var. <i>propinqua</i> C,F,M,T,W	Mingimingi	Mingimingi	NT	ED, DW, RM, LT, FS
<i>Coprosma pseudociliata</i> F			NT	ED, FE, M
<i>Coprosma pseudocuneata</i> T			NT	M
<i>Coprosma repens</i> C,F,M,T	Taupata	Mirror leaf	NT	DW, FD, ED, LT
<i>Coprosma rhamnoides</i> C,F,M,T,W		<i>Coprosma rhamnoides</i>	NT	CE, ED, DW, LT, FE, M
<i>Coprosma rigida</i> F,M			NT	FM, LT
<i>Coprosma robusta</i> C,F,M,T,W	Karamū	Karamū	NT	ED, DS, DW, RM, FS, FM, FE, M
<i>Coprosma rotundifolia</i> C,F,T			NT	FM, M
<i>Coprosma rubra</i> F,T			NT	LT, FM, M
<i>Coprosma rugosa</i> T(30)		Coprosma rugosa	NT	LT, RM, FM, M
<i>Coprosma tayloriae</i> T			NT	M
<i>Coprosma tenuicaulis</i> C,F,M,T	Hukihuki	Swamp coprosma	NT	DW, LT, FS
<i>Coprosma tenuifolia</i> F			NT	DS, LT, FE, M
<i>Coprosma xcunninghamii</i> C,F,M,T,W		Natural hybrid of <i>C. robusta</i> x <i>C. propinqua</i>	NT	ED, DS, DW, RM, FS, FM, FE, M
<i>Coriaria arborea</i> var. <i>arborea</i> C,F,M,T,W	Tutu	Tree tutu	NT	CE, DS, RM, FS, FM, M
<i>Coriaria sarmentosa</i> C,M(35)	Tutu	Tutu	NT	ED, LT
<i>Corokia cotoneaster</i> F	Korokio tāranga	Wire netting bush	NT	ED
<i>Corynocarpus laevigatus</i>	Please note: Introduced to the district in numerous places by mana whenua prior to European settlement, originally nearby Pā sites, (Leach & Stowe, 2005).			
C,F,M,T,W	Karaka	Karaka	NT	CE, ED, DW, LT
<i>Didymocheton spectabilis</i> C,F,M,T,W	Kohekohe	Kohekohe	NT	DW, LT
<i>Discaria toumatou</i> C,F	Tūmatakuru	Matagouri, Wild Irishman	ARD	CE, FD, ED, LT, M
<i>Dodonaea viscosa</i> C,F,M	Akeake	Akeake	NT	ED, FE, LT
<i>Dracophyllum filifolium</i> T			NT	LT, M
<i>Dracophyllum longifolium</i> var. <i>longifolium</i> T		Inanga, inaka	NT	FE, M
<i>Dracophyllum rosmarinifolium</i> T(92)	Inaka	Common grass tree	NT	M
<i>Dracophyllum longifolium</i> var. <i>septentrionale</i> T(67)		Ruahine grass tree	ARNU	M
<i>Dracophyllum recurvum</i> T		Curled leave neinei	NT	M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Elaeocarpus dentatus</i> C,F,M,T,W	Hīnau	Hīnau	NT	DW, LT, FE, M
<i>Elaeocarpus hookerianus</i> F,M,T	Pōkākā	Pōkākā	NT	LT, M
<i>Entelea arborescens</i> Please note: Introduced to Paekākāriki only by mana whenua prior to European settlement, (Shepard et. al., 2019).				
C,W	Whau	Cork tree	NT	RM, LT, FE
<i>Fuchsia excorticata</i> C,F,M,T,W	Kōtukutuku	Tree fuchsia	NT	DS, DW, RM, FS, FM, M
<i>Fuscospora fusca</i> T		Red beech	NT	LT, FE, M
<i>Fuscospora solandri</i> M(34)	Tawhairauriki	Black beech	NT	LT, FE, M
<i>Fuscospora truncata</i> T	Tawhairaunui, hututawai, hutu	Hard beech	NT	LT, FE, M
<i>Gaultheria antipoda</i> C,T		Bush snowberry, fool's beech	NT	LT, FE, M
<i>Gaultheria depressa</i> var. <i>depressa</i> T		Snowberry	DD	M
<i>Gaultheria depressa</i> var. <i>novae-zealandiae</i> T		Snowberry	NT	M
<i>Gaultheria macrostigma</i> F		Prostrate snowberry	NT	ED
<i>Gaultheria rupestris</i> T			NT	FE, M
<i>Geniostoma ligustrifolium</i> var. <i>ligustrifolium</i> F,M,T,W	Hangehange	New Zealand privet	NT	ED, LT, M
<i>Griselinia littoralis</i> F,T	Kāpuka	Broadleaf	NT	M
<i>Griselinia lucida</i> C,F,M,T,W	Puka	Broadleaf	NT	CE, ED, DW, LT, M
<i>Hedycarya arborea</i> C,F,M,T,W	Porokaiwhiri	Pigeonwood	NT	ED, DW, LT, FE, M
<i>Helichrysum lanceolatum</i> C			NT	CE, LT, FM, FE
<i>Hoheria angustifolia</i> F,M	Houhere	Narrow-leaved lacebark	NT	LT, FE
<i>Hoheria sexstylosa</i> C,F,T(51)		Lacebark	NT	LT, FE
<i>Ileostylus micranthus</i> F,M	Pirita	Green mistletoe	NT	ED, LT, FE, (M)
<i>Knightia excelsa</i> C,F,M,T,W	Rewarewa	New Zealand honeysuckle	NT	ED, DW, LT, FE, M
<i>Korthalsella lindsayi</i> (on <i>poataniwha</i>) M(15)		Leafless mistletoe	NT	CE, LT, FE
<i>Korthalsella salicornioides</i> (on <i>mānuka</i>) F,M		Dwarf mistletoe	TNC	ED, DW, M
<i>Kunzea amathicola</i> F	Rawiritoa		TNV	ED
<i>Kunzea robusta</i> C,F,M,T,W	Kānuka	White tea tree	TNV	CE, ED, FE, M
<i>Laurelia novae-zelandiae</i> C,F,M,T,W	Pukatea	Pukatea	NT	ED, DW, LT, FS, M
<i>Leptecophylla juniperina</i> ssp. <i>juniperina</i> C,F	Mingimingi	Prickly mingimingi	NT	ED, LT
<i>Leptospermum scoparium</i> C,F,M,T	Mānuka	Tea tree	ARD	DW, FS, M
<i>Leucopogon fasciculatus</i> C,F,M(21),T	Mingimingi	Tall mingimingi	NT	LT, M
<i>Lophomyrtus bullata</i> C,F,M,T	Ramarama	New Zealand myrtle	TNC	ED, DW, FM, FE, M
<i>Lophomyrtus obcordata</i> C,F,M,T	Rōhutu	New Zealand myrtle	TNC	ED, DW, LT, FE, M
<i>Lophozonia menziesii</i> T	Tawai, tirowhārangi, tawhai	Silver Beech	NT	M
<i>Macrolearia colensoi</i> T	Tupare	Leatherwood	NT	M
<i>Melicope simplex</i> C,F,M,T	Poataniwha		NT	CE, ED, LT, FE, M
<i>Melicope ternata</i> C,F,M,T,W	Wharangi	Wharangi	NT	CE, ED, LT, FM, FE, M
<i>Melicytus crassifolius</i> C		Thick-leaved mahoe	ARD	CE, LT
<i>Melicytus lanceolatus</i> T	Mahoe-wao	Narrow-leaved mahoe	NT	LT, FM, M
<i>Melicytus micranthus</i> F	Swamp mahoe		NT	DW, FS, LT
<i>Melicytus orarius</i> C			ARL	CE
<i>Melicytus ramiflorus</i> C,F,M,T,W	Māhoe, hinahina	Whiteywood	NT	ED, DW, RM, LT, FE, M
<i>Metrosideros robusta</i> F,M,T	Rātā	Northern rātā	TNV	RM, FE, M
<i>Mida salicifolia</i> C,F,T	Maire taike	Willow-leaved maire	ARD	FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Muehlenbeckia astonii</i> C		Wigwig	TNE	CE, FD
<i>Myoporum laetum</i> C,F,M,T,W	Ngaio	Ngaio	NT	CE, ED, DW, RM, LT, FE
<i>Myrsine australis</i> C,F,M,T,W	Matipo	Red mapou	NT	ED, DW, RM, LT, FM, FE, M
<i>Myrsine divaricata</i> T		Weeping matipo, weeping mapou	NT	LT, FE, M
<i>Myrsine nummularia</i> T		Creeping matipo, creeping mapou	NT	M
<i>Myrsine salicina</i> C,F,M,T	Toro	Toro	NT	ED, LT, M
<i>Neomyrtus pedunculata</i> T	Rōhutu	Myrtle	TNC	LT, FE, M
<i>Nestegis cunninghamii</i> C,F,M,T	Maire rau nui	Black maire	NT	ED, LT
<i>Nestegis lanceolata</i> C,F,M,T	Maire rauriki	White maire	NT	ED, LT, FE
<i>Nestegis montana</i> C,F,M,T	Maire kōtae or rōroro	Narrow-leaved maire	NT	ED, LT, FE, M
<i>Olearia arborescens</i> C,T		Common tree daisy, glossy tree daisy	NT	LT,FE,M
<i>Olearia cheesemanii</i> F,T(4)	Akepiro	Streamside or Cheeseman's daisy	ARNU	RM
<i>Olearia furfuracea</i> F			NT	LT, RM, FM
<i>Olearia ilicifolia</i> T			NT	LE, FE, M
<i>Olearia lacunosa</i> T			NT	FE, M
<i>Olearia paniculata</i> C,F,T,W	Akiraho	Golden akeake	NT	LT, FE, M
<i>Olearia rani</i> var. <i>colorata</i> C,F,M,T,W	Heketara	Tree daisy	NT	LT, FM, FE, M
<i>Olearia solandri</i> C,F,M,T,W		Coastal tree daisy	NT	FD, CE, ED, LT, FE
<i>Olearia virgata</i> F,M,T(30)	Tauhinu	Twiggy tree daisy	NT	DW, FS
<i>Ozothamnus leptophylla</i> C,F,M,T,W	Kaikōmako	Cottonwood	NT	CE, FD, ED, DW, LT, FM, M
<i>Pennantia corymbosa</i> C,F,M,T,W		Kaikōmako	NT	DW, RM, LT, FS, FM, FE, M
<i>Pentachondra pumila</i> T			NT	ED, DW, RM, FS, M
<i>Peraxilla colensoi</i> T	Pirita, korukoru, roeroe, pirinoa	Scarlet mistletoe	ARD	M
<i>Pimelea cryptica</i> C(44)		Pimelea	DD	CE
<i>Pimelea gnidia</i> T		Pimelea	NT	LT, FE, M
<i>Pimelea longifolia</i> T		Long-leaved Pimelea	ARD	CE, FM, FE, M
<i>Pimelea prostrata</i> ssp. <i>prostrata</i> C,F	Wharengāngara	Strathmore weed	NT	CE, ED, FE, M
<i>Pimelea tomentosa</i> C,F			TNV	CE, LT, FE, M
<i>Pimelea urvilleana</i> ssp. <i>urvilleana</i> C			DD	CE, FE
<i>Pimelea villosa</i> C,F	Toroheke	Sand daphne	ARD	FD, CE
<i>Piper excelsum</i> ssp. <i>excelsum</i> C,F,M,T,W	Kawakawa	Pepper tree	NT	ED, DW, LT, FE, M
<i>Pittosporum colensoi</i> T			NT	RM, LT, FE, M
<i>Pittosporum cornifolium</i> F,T(27)	Wharewhareatua	Perching pittosporum	NT	ED, LT, FE
<i>Pittosporum eugenoides</i> C,F,M,T	Tarata	Lemonwood	NT	CE, ED, RM, LT, FM, FE, M
<i>Pittosporum rigidum</i> T			NT	M
<i>Pittosporum tenuifolium</i> C,F,M,T,W	Kōhūhū, kōwhiwhi	Black matipo	NT	ED, DW, LT, FM, FE, M
<i>Plagianthus divaricatus</i> C,F	Mākaka	Saltmarsh ribbonwood	NT	SE, DW
<i>Plagianthus regius</i> ssp. <i>regius</i> T	Mānatu	Ribbonwood, lowland ribbonwood	NT	LT, FE, M
<i>Pseudopanax arboreus</i> C,F,M,T,W	Whauwhaupaku	Five finger	NT	ED, LT, FE, M
<i>Pseudopanax colensoi</i> var. <i>colensoi</i> T		Mountain five-finger, three finger	NT	M
<i>Pseudopanax crassifolius</i> C,F,M,T,W	Horoeka	Lancewood	NT	ED, LT, FE, M
<i>Pseudowintera axillaris</i> C,F,T	Horopito	Lowland horopito	NT	FE, M
<i>Pseudowintera colorata</i> T	Horopito	Mountain horopito	NT	RM, FM, FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Pterophylla racemosa</i> C,F,M,T	Kāmahi	Kāmahi	NT	FM, FE, M
<i>Raukaua anomalus</i> T			NT	LT, FM, FE, M
<i>Raukaua edgerleyi</i> T	Raukawa		NT	LT, FE, M
<i>Raukaua simplex</i> T			NT	LT, FE, M
<i>Rhabdothamnus solandri</i> C,W	Taurepo	New Zealand gloxinia	NT	CE, RM, LT, FE
<i>Schefflera digitata</i> C,F,M,T,W	Patē	Seven finger	NT	ED, LT, FE, M
<i>Solanum aviculare</i> var. <i>aviculare</i> C,F,M,T	Poroporo		TNV	ED, LT, FM
<i>Solanum laciniatum</i> C,F,M,T,W	Poroporo	Poroporo	NT	CE, ED, DW, RM, LT, FS, FM, FE, M
<i>Sophora microphylla</i> C,F,M,T	Kōwhai	Kōwhai	NT	RM, FE
<i>Streblus banksii</i> C,F,M,T,W	Turepo	Large leaved milk tree	ARL	DW, LT, FE
<i>Streblus heterophyllum</i> C,F,M,T	Turepo	Small leaved milk tree	NT	DW, LT, FE
<i>Styphelia nesophila</i> C,F	Pātōtara	Dwarf mingimingi	NT	CE, FD, ED, LT, M
<i>Syzygium maire</i> C,F,M,T	Maire tawake	Swamp maire	TNC	DW, FS
<i>Urtica ferox</i> C,F,T,W	Ongaonga	Tree nettle	NT	RM, FM
<i>Veronica angustissima</i> T(64)		Hebe	ARNU	RM
<i>Veronica elliptica</i> C,F(66)	Kōkōmuka	Shore hebe, shore koromiko	NT	CE
<i>Veronica evenosa</i> T		Hebe	ARNU	M
<i>Veronica lycopodioides</i> T		Whipcord hebe	NT	M
<i>Veronica odora</i> T(90)		Hebe	NT	M
<i>Veronica parviflora</i> C,F,T(52),W	Kōkōmuka tāranga, koromiko	Hebe	NT	CE, LT, FE, M
<i>Veronica speciosa</i> Please note: Introduced to Kāpiti Island by mana whenua prior to European settlement, now naturalised at site, (Armstrong & de Lange, 2006).				
C	Napuka		ARD	CE
<i>Veronica stricta</i> var. <i>macroura</i> C,T,W	Koromiko		NT	CE
<i>Veronica stricta</i> var. <i>stricta</i> C,F,M,T(1),W	Koromiko		NT	CE, RM, LT, FE
<i>Veronica tetragona</i> ssp. <i>subsimilis</i> T(96)			NT	M
<i>Veronica venustula</i> T		Hebe	NT	M

MOST RECENT SYNONYMS

- Aristotelia racemosa* See *Aristotelia serrata*
Carmichaelia cunninghamii See *Carmichaelia australis*
Carmichaelia flagelliformis See *Carmichaelia australis*
Carmichaelia hookeri See *Carmichaelia australis*
Cassinia leptophylla See *Ozothamnus leptophylla*
Coprosma grandifolia See *Coprosma autumnalis*
Coprosma parviflora var. *dumosa* See *Coprosma dumosa*
Coprosma retusa See *Coprosma repens*
Cyathodes empetrifolia See *Androstoma empetrifolium*
Cyathodes fasciculata See *Leucopogon fasciculatus*
Cyathodes fraseri See *Styphelia nesophila*
Cyathodes juniperina See *Leptecophylla juniperina* subsp. *juniperina*
Dracophyllum longifolium See *Dracophyllum longifolium* var. *longifolium*
Dysoxylum spectabile See *Didymocheton spectabilis*

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Eugenia maire See *Syzygium maire*
Geniostoma rupestre var. *ligustrifolium* See *Geniostoma ligustrifolium* var. *ligustrifolium*
Gymnelaea cunninghamii See *Nestegis cunninghamii*
Gymnelaea lanceolata See *Nestegis lanceolata*
Gymnelaea montana See *Nestegis montana*
Hebe angustissima See *Veronica angustissima*
Hebe elliptica See *Veronica elliptica*
Hebe odora See *Veronica odora*
Hebe parviflora See *Veronica parviflora*
Hebe speciosa See *Veronica speciosa*
Hebe stricta var. *atkinsonii* See *Veronica stricta* var. *stricta*
Hebe stricta var. *macroura* See *Veronica stricta* var. *macroura*
Hebe stricta var. *stricta* See *Veronica stricta* var. *stricta*
Hebe tetragona ssp. *subsimilis* See *Veronica tetragona* ssp. *subsimilis*
Helichrysum aggregatum var. *aggregatum* See *Helichrysum lanceolatum*
Hoheria populnea var. *angustifolia* See *Hoheria angustifolia*
Hymenanthera crassifolia See *Melicytus crassifolius*
Kunzea ericoides var. *ericoides* See *Kunzea amathicola* & *Kunzea robusta*
Leptospermum ericoides See *Kunzea amathicola* & *Kunzea robusta*
Leucopogon fraseri See *Styphelia nesophila*
Loranthus micranthus See *Ileostylus micranthus*
Macropiper excelsum var. *excelsum* See *Piper excelsum* ssp. *excelsum*
Myrtus bullata See *Lophomyrtus bullata*
Myrtus obcordata See *Lophomyrtus obcordata*
Nothofagus fusca See *Fuscospora fusca*
Nothofagus menziesii See *Lophozonia menziesii*
Nothofagus solandri var. *solandri* See *Fuscospora solandri*
Olea cunninghamii See *Nestegis cunninghamii*
Olea lanceolata See *Nestegis lanceolata*
Olea montana See *Nestegis montana*
Olearia colensoi var. *colensoi* See *Macrolearia colensoi*
Paratrophis banksii See *Streblus banksii*
Paratrophis microphylla See *Streblus heterophyllus*
Pernettya macrostigma See *Gaultheria macrostigma*
Pimelea arenaria See *Pimelea villosa*
Pimelea prostrata s.l. See *Pimelea cryptica*
Pseudopanax anomalus See *Raukaua anomalus*
Pseudopanax colensoi See *Pseudopanax colensoi* var. *colensoi*
Pseudopanax edgerleyi See *Raukaua edgerleyi*
Pseudopanax simplex See *Raukaua simplex*
Urostemon kirkii var. *kirkii* See *Brachyglottis kirkii* var. *kirkii*
Veronica arborea See *Veronica parviflora*
Veronica salicifolia var. *angustissima* See *Veronica angustissima*
Weinmannia racemosa See *Pterophylla racemosa*

Latin name	Māori name	Common name	Status	Habitat
MONOCOT LIANES				
<i>Freycinetia banksii</i> C,F,M,T	Kiekie	Kiekie	NT	ED, LT, FE, M
<i>Ripogonum scandens</i> C,F,M,T,W	Kareao	Supplejack	NT	ED, DW, LT, FE, M
MOST RECENT SYNONYMS				
<i>Freycinetia baueriana</i> spp. <i>banksii</i> See <i>Freycinetia banksii</i>				
DICOT LIANES				
<i>Calystegia sepium</i> ssp. <i>roseata</i> C,F	Rauparaha	Pink bindweed	NT	CE, FD, ED, LT, FM, (M)
<i>Calystegia soldanella</i> C,F	Panahi	Shore bindweed	NT	CE, FD, ED, DS
<i>Calystegia tuguriorum</i> C,F,M,T	Pōwhiwhi	Climbing convolvulus	NT	CE, ED, DW, RM, LT, FM, M
<i>Clematis afoliata</i> C		Leafless clematis	NT	CE
<i>Clematis foetida</i> F,M			NT	CE, LT, FM, FE
<i>Clematis forsteri</i> C,F,T	Puataua	Small white clematis	NT	CE, ED, LT, FM, FE
<i>Clematis paniculata</i> F,M,T,W	Puawānanga	White clematis	NT	CE, ED, LT, FE, M
<i>Convolvulus</i> sp. (<i>unnamed Druce 1976</i>) C			NT	CE
<i>Fuchsia perscandens</i> C,F,M		Fuchsia	NT	ED, DW, LT, FM
<i>Metrosideros colensoi</i> C,F,M,T	Rātā		TNV	ED, RM, LT, FE
<i>Metrosideros diffusa</i> C,F,M,T,W	Rātā	White rātā	TNV	CE, ED, DW, RM, LT, FE
<i>Metrosideros fulgens</i> C,F,M,T	Akatawhiwhi	Scarlet rātā	TNV	CE, ED, DW, RM, LT, FE, M
<i>Metrosideros perforata</i> C,F,M,T,W	Akatorotoro	Small white rātā	TNV	CE, ED, DW, RM, LT, FE, M
<i>Muehlenbeckia australis</i> C,F,M,T	Pōhuehue	Large leaved muehlenbeckia	NT	CE, ED, DW, RM, FM, FE, LT, M
<i>Muehlenbeckia complexa</i> var. <i>complexa</i> C,F,M,T,W	Pōhuehue	Wire vine	NT	CE, ED, RM, LT, FM, FE,
<i>Muehlenbeckia complexa</i> var. <i>grandifolia</i> F(70)	Pōhue	Pōhue	DD	ED
<i>Muehlenbeckia ephedroides</i> C		Leafless pōhuehue	TNV	CE, ED, RM, LT, FM, FE, M
<i>Parsonia capsularis</i> var. <i>capsularis</i> C,F,T,W	Akakiore	New Zealand Jasmine	NT	ED, LT, FM, FE
<i>Parsonia heterophylla</i> C,F,M,T,W	Akakiore	New Zealand Jasmine	NT	ED, DW, LT, FS, FM, FE
<i>Passiflora tetrandra</i> C,F,M,T,W	Kohia	Passion vine	NT	ED, RM, FM
<i>Rubus australis</i> C,F,M,T	Taraheke	Swamp lawyer	NT	DW, FS
<i>Rubus cissoides</i> C,F,M,T	Tātarāmoa	Bush lawyer	NT	ED, LT, FE, M
<i>Rubus schmidelioioides</i> var. <i>schmidelioioides</i> C,F,M,T	Taramoa	White leaved lawyer	NT	ED, LT, FE
<i>Rubus squarrosus</i> C,F		Leafless lawyer	NT	CE, ED, LT, FM, FE, M
<i>Tetragonia tetragonoides</i> C	Kōkihi	NZ spinach	ARNU	FD
<i>Tetragonia trigyna</i> C(18),F,T	Kōkihi	NZ spinach	NT	FD, ED

MOST RECENT SYNONYMS

Tetragonia implexicoma See *Tetragonia trigyna*
Tetrapathea tetrandra See *Passiflora tetrandra*

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
CLUBMOSES & QUILLWORTS				
<i>Austrolycopodium fastigiatum</i> T		Alpine/Mountain clubmoss	NT	CE, LT, FE, M
<i>Diphazium scariosum</i> T		Creeping clubmoss	NT	FS, M
<i>Palhinhaea cernua</i> F(107)		Clubmoss	NT	ED, LT, FE, M
<i>Phlegmariurus billardierei</i> T(108)		Hanging clubmoss	Not Evaluated	LT, FE, M
<i>Phlegmariurus varius</i> C,F,T		Clubmoss	NT	ED, LT, FE, M
<i>Pseudodiphasium volubile</i> C,T,W	Waewaekoukou	Climbing clubmoss	NT	ED, LT, FM, FE, M
MOST RECENT SYNONYMS				
<i>Huperzia varia</i> See <i>Phlegmariurus varius</i>				
<i>Lycopodium cernua</i> See <i>Palhinhaea cernua</i>				
<i>Lycopodium fastigiatum</i> See <i>Austrolycopodium fastigiatum</i>				
<i>Lycopodium scariosum</i> See <i>Diphazium scariosum</i>				
<i>Lycopodium varium</i> See <i>Phlegmariurus varius</i>				
<i>Lycopodium volubile</i> See <i>Pseudodiphasium volubile</i>				
LIVERWORTS, HORNWORTS & MOSSES				
<i>Achrophyllum dentatum</i> M(113),T(114)			NT	LT, FE
<i>Achrophyllum quadrifarium</i> T(115),W(116)			NT	FE
<i>Calomnion complanatum</i> M(117)			NT	LT, FE
<i>Campylopus clavatus</i> F(106),T(107)		Heath star-moss	NT	LT, FE, M
<i>Campylopus introflexus</i> F(118),T(119),W(120)			NT	FE
<i>Chiloscyphus muricatus</i> T(97)			NT	FE
<i>Cryptopodium bartramoides</i> T(121)			NT	FE, M
<i>Cyathophorum bulbosum</i> T(122)			NT	FE, M
<i>Dawsonia superba</i> T(84)	Pāhau-kākāpō	Quill moss, false fern moss	NT	LT, FE
<i>Leucobryum candidum</i> C,M,T		Giant moss	NT	LT, FE
<i>Leucobryum javense</i> C,M,T		Cushion moss, milk moss	NT	CE, LT, FE, M
<i>Lopidium concinnum</i> C(129),M(130),T		Milk moss	NT	LT, FM, FE, M
<i>Macromitrium longipes</i> T(132)			NT	LT, FE
<i>Marchantia berteroana</i> C(138),T(137)			NT	LT, FE, M
<i>Monoclea forsteri</i> C,F,M,T		Bonfire liverwort	NT	CE, DW, RM, FS, FE
<i>Pallavicinia tenuinervis</i> M(139)			NT	LT, FE
<i>Polytrichum juniperinum</i> T(105)		Juniper haircap moss	NT	FE, M
<i>Ptychomnion aciculare</i> C,M,T		Pipe cleaner moss	NT	ED, DW, RM, LT, FM, FE, M
<i>Racomitrium lanuginosum</i> T(131)		Woolly fringe moss	NT	FE, M
<i>Riccia fluitans</i> F(98)		Floating crystalwort	NT	DW, RM
<i>Ricciocarpus natans</i> F(94)		Fringed heartwort	NT	DW
<i>Schistochila appendiculata</i> T(91)			NT	FE, M
<i>Sphagnum cristatum</i> T(143)		New Zealand sphagnum	NT	FE
<i>Symphyogyna hymenophyllum</i> M(127),T(128)			NT	FE, M
<i>Symphyogyna subsimplex</i> M(125),T(126)			NT	FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Trachyloma diversinerve</i> C(133),M(134),T(135) <i>Weymouthia mollis</i> T(123),W(124)	Angangi	Old man beard moss	NT NT	CE, LT, FE FE
MOST RECENT SYNONYMS				
<i>Lophocolea muricata</i> See <i>Chiloscyphus muricatus</i>				
FERN & FERN ALLIES				
<i>Adiantum cunninghamii</i> C,F,M,T,W	Puhinui	Common maidenhair	NT	ED, LT, FE
<i>Adiantum diaphanum</i> T		Tuberous or small maidenhair	NT	ED, LT, FE
<i>Adiantum hispidulum</i> C	Makawe tapairu	Rosy maidenhair	NT	ED, LT
<i>Adiantum fulvum</i> T		Maidenhair	NT	ED, LT, FE, M
<i>Adiantum viridescens</i> M,T		Maidenhair	NT	ED, CE, FS
<i>Anogramma leptophylla</i> C		Jersey fern, annual fern	NT	CE
<i>Arthropteris tenella</i> C,F,M,T,W		Jointed fern	NT	LT, FE
<i>Asplenium appendiculatum</i> ssp. <i>appendiculatum</i> C,M		Ground spleenwort	NT	DS, RM, LT, FE, M
<i>Asplenium appendiculatum</i> ssp. <i>maritimum</i> F		Coastal spleenwort	NT	CE, ED, DW
<i>Asplenium bulbiferum</i> C,F,M,T,W	Pikopiko	Hen & chickens	NT	ED, DS, DW, RM, LT, FS, FE, M
<i>Asplenium flabellifolium</i> C,F,M,T		Butterfly fern, necklace fern	NT	ED, DS, RM, LT, FM, M
<i>Asplenium flaccidum</i> C,F,M,T,W	Makawe o Raukatauri	Hanging spleenwort	NT	ED, DS, DW, LT, FS, FE, M
<i>Asplenium gracillimum</i> C,F,M,T		Hen and chicken fern	NT	ED, DS, DW, RM, LT, FS, FE, M
<i>Asplenium hookerianum</i> var. <i>colensoi</i> T(48)		Colenso's spleenwort	NT	CE, LT, FE, M
<i>Asplenium hookerianum</i> var. <i>hookerianum</i> C,F,M,T,W		Spleenwort	NT	ED, DS, RM, LT, FS, FE, M
<i>Asplenium oblongifolium</i> C,F,M,T,W	Huruhuruwhenua	Shining spleenwort	NT	CE, ED, DS, DW, RM, LT, FS, FE
<i>Asplenium obtusatum</i> C		Shore spleenwort	NT	CE
<i>Asplenium polyodon</i> C,F,M,T,W	Petako	Sickle spleenwort	NT	CE, ED, DS, DW, RM, LT, FS, FE, M
<i>Austrolechnum banksii</i> M		Shore hard fern	NT	CE
<i>Austrolechnum colensoi</i> C,T	Peretao	Waterfall fern	NT	ED, DS, DW, RM, LT, FS, FE, M
<i>Austrolechnum lanceolatum</i> C,F,M,T,W	Nini	Lance fern	NT	ED, RM, LT, FE, M
<i>Austrolechnum membranaceum</i> C,F,M,T,W		Alpine hard fern	NT	ED, DS, RM, LT, FS, FE, M
<i>Austrolechnum penna-marina</i> C,F,T		Pacific azolla, red azolla	NT	ED, RM, LT, FM, FE, M
<i>Azolla rubra</i> C,F,M,T		Parsley fern	ARNU	DS, DW, FS
<i>Botrychium australe</i> F,T	Pātōtara	Fine leaved parsley fern	NT	ED, DS, DW, RM, LT
<i>Botrychium biforme</i> T		Wooly cloak or rock fern	NT	LT, FE, M
<i>Cheilanthes distans</i> C		Rock fern	NT	CE, FE, M
<i>Cheilanthes sieberi</i> ssp. <i>sieberi</i> C		Creek fern	NT	CE, FE, M
<i>Cranfillia fluviatilis</i> C,F,M,T,W	Kiwikiwi	Black hard fern	NT	ED, DS, RM, LT, FS, FE, M
<i>Cranfillia nigra</i> T		Mountain hard fern	NT	DS, LT, FS, FE, M
<i>Cranfillia vulcanica</i> T	Korokio	Rough tree fern, Mountain tree fern	NT	CE, LT, FE, M
<i>Cyathea colensoi</i> T		Gully tree fern	NT	RM, M
<i>Cyathea cunninghamii</i> C,F,T	Pūnui	Silver fern	NT	FE, M
<i>Cyathea dealbata</i> C,F,M,T	Ponga		NT	ED, LT, FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Cyathea medullaris</i> C,F,M,T,W	Mamaku	Black tree fern	NT	ED, LT, FE
<i>Cyathea smithii</i> C,F,M,T	Kātote	Soft tree fern	NT	ED, LT, FE, M
<i>Dendroconche scandens</i> C,F,M,T,W	Mokimoki	Climbing hound's tongue	NT	ED, DW, LT, FE
<i>Deparia petersenii</i> ssp. <i>congrua</i> T			NT	ED, LT, RM, FE
<i>Dicksonia fibrosa</i> C,F,T	Whekī-ponga	Golden tree fern	NT	ED, LT, FE
<i>Dicksonia squarrosa</i> F,M,T,W	Whekī	Whekī	NT	ED, LT, FE
<i>Diplazium australe</i> C,F,M,T		Rasp fern	NT	DS, DW, RM, FS, FE, M
<i>Doodia australis</i> C,T(32)			ARNU	ED, LT
<i>Doodia squarrosa</i> C,F		Alpine tangle fern	NT	ED, DS, RM, LT, FS
<i>Gleichenia alpina</i> T		Tangle fern, swamp umbrella fern	NT	M
<i>Gleichenia dicarpa</i> F,T		Carrier tangle fern, parasol fern	NT	DW, LT, FS, M
<i>Gleichenia microphylla</i> F		Water fern	NT	CE, DW, FS, M
<i>Histiopteris incisa</i> C,F,M,T	Mātā	Filmy fern	NT	DW, RM, LT, FM, M
<i>Hiya distans</i> C,F,M		Filmy fern	NT	ED, LT
<i>Hymenophyllum armstrongii</i> T		Filmy fern	NT	ED, LT, FE, M
<i>Hymenophyllum australe</i> T		Filmy fern	ARNU	DS, RM, FS
<i>Hymenophyllum bivalve</i> C,F,T,W	Mauku	Filmy fern	NT	FE, M
<i>Hymenophyllum cupressiforme</i> C	Mauku	Filmy fern	ARNU	ED, LT, FE, M
<i>Hymenophyllum demissum</i> C,F,M,T	Piripiri	Drooping filmy fern	NT	ED, LT, FE
<i>Hymenophyllum dilatatum</i> T	Matua mauku	Filmy fern	NT	FE, M
<i>Hymenophyllum flabellatum</i> C,F,M,T	Mauku	Filmy fern	NT	ED, LT
<i>Hymenophyllum flexuosum</i> C,F,M,T	Mauku	Filmy fern	NT	ED, LT, FE
<i>Hymenophyllum frankliniae</i> F,T		Rusty filmy fern	NT	ED, LT, FE, M
<i>Hymenophyllum minimum</i> C	Mauku	Filmy fern	NT	ED, LT
<i>Hymenophyllum multifidum</i> F,M,T	Mauku	Much-divided filmy fern	NT	ED, LT, FE, M
<i>Hymenophyllum nephrophyllum</i> C,F,T	Raurenga	Kidney fern	NT	ED, LT, FE, M
<i>Hymenophyllum peltatum</i> T		One-sided filmy fern	NT	CE, LT, FE , M
<i>Hymenophyllum pulcherrimum</i> T		Tufted filmy fern	NT	FE, M
<i>Hymenophyllum rarum</i> C,F,M,T	Mauku	Filmy fern	NT	ED, LT, FE, M
<i>Hymenophyllum revolutum</i> C,F,T	Mauku	Filmy fern	NT	ED, LT, FE, M
<i>Hymenophyllum sanguinolentum</i> C,F,M,T	Mauku	Filmy fern	NT	ED, LT, FE, M
<i>Hymenophyllum scabrum</i> T		Rough filmy fern	NT	ED, LT, FE, M
<i>Hymenophyllum villosum</i> T		Hairy filmy fern	NT	M
<i>Hypolepis ambigua</i> C,F,M,T,W			NT	ED, LT
<i>Hypolepis dicksonioides</i> T, F(71)		Giant hypolepis	ARNU	ED, FE
<i>Hypolepis lactea</i> C,F,M,T			NT	ED, LT, FE
<i>Hypolepis millefolium</i> F	Huarau	Thousand leaved fern	NT	ED, LT, FE, M
<i>Hypolepis rufobarbata</i> C,F,T		Sticky pig fern	NT	ED, LT
<i>Icarus filiformis</i> C,F,M,T,W	Pānako	Thread fern	NT	ED, DW, LT, FE, M
<i>Lastreopsis hispida</i> C,F,M,T	Tuakura	Hairy fern	NT	ED, LT, FE, M
<i>Lastreopsis velutina</i> C,F(29),M,T,W		Velvet fern	NT	ED, LT, FE
<i>Leptolepia novae-zelandiae</i> T		Lace fern	NT	CE, ED, LT, FS, FE, M
<i>Leptopteris hymenophylloides</i> C,F,M,T,W	Heruheru	Single crape fern	NT	ED, LT, FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Leptopteris superba</i> T		Crape fern. Prince of Wales fern	NT	FE, M
<i>Lindsaea linearis</i> F(11),T	Heruheru		NT	ED, DW, LT, FS, FE
<i>Lindsaea trichomanoides</i> F,T			NT	FE, M
<i>Lindsaea viridis</i> T			ARNU	RM
<i>Lomaria discolor</i> C,F,T,W	Petipeti	Crown fern	NT	ED, LT, FE, M
<i>Loxogramme dictyopteris</i> C,F,T		Lancefern	NT	ED, LT, FE
<i>Notogrammitis angustifolia</i> ssp. <i>nothofageti</i> T		Strapfern	NT	M
<i>Notogrammitis billardierei</i> C,F(12),T	Paretao	Common strap fern	NT	ED, LT, FE, M
<i>Notogrammitis ciliata</i> C,T		Strapfern	NT	ED, FS, FE, M
<i>Notogrammitis crassior</i> T(102)		Dwarf strap fern	NT	M
<i>Notogrammitis heterophylla</i> C,T		Comb fern	NT	CE, LT, FE, M
<i>Notogrammitis pseudociliata</i> T			NT	ED, LT, FE, M
<i>Ophioglossum coriaceum</i> T	Mātātā	Adders tongue	NT	ED, DW, LT, FE, M
<i>Ophioglossum petiolatum</i> F	Kiokio	Stalked adders tongue	TNC	DW, RM, FS
<i>Paesia scaberula</i> C,F,M,T,W		Lace fern, ring fern, scented fern	NT	CE, ED, LT, FE, M
<i>Parablechnum minus</i> C,F,M,T	Kiokio	Swamp kiokio	NT	DW, DS, RM, FS, M
<i>Parablechnum montanum</i> T		Mountain kiokio, Dunedin-Cass Blechnum	NT	M
<i>Parablechnum novae-zelandiae</i> C,F,M,T,W	Kiokio	Palm leaf fern	NT	ED, DS, DW, RM, LT, FS, FM, FE, M
<i>Parablechnum procerum</i> C,F,M,T	Kiokio	Small kiokio	NT	ED, DS, DW, RM, LT, FS, FM, FE, M
<i>Parablechnum triangularifolium</i> T	Kiokio	Green Bay kiokio	NT	ED, LT, FE, M
<i>Parapolystichum glabellum</i> C,F,M,T,W		Smooth shield fern	NT	ED, LT, FE
<i>Parapolystichum microsorum</i> ssp. <i>pentangulare</i> C,F,M,T			NT	ED, LT, FE, M
<i>Pellaea calidirupium</i> C,T			NT	CE, FE
<i>Pellaea rotundifolia</i> C,F,M,T,W	Tarawera	New Zealand cliff brake, button fern	NT	CE, FE, M
<i>Pneumatopteris pennigera</i> F,M,T	Piupiu	Gully fern, feather fern	NT	ED, DS, DW, LT, FS, FE, M
<i>Polystichum neozelandicum</i> ssp. <i>zerophyllum</i> T		Shield fern	NT	ED, LT, FE, M
<i>Polystichum occulatum</i> T			NT	ED, LT, FE, M
<i>Polystichum silvaticum</i> C,F,T			NT	ED, LT, FE, M
<i>Polystichum vestitum</i> T, F(93)	Pūniu	Prickly shield fern	NT	FE, M
<i>Pteridium esculentum</i> C,F,M,T	Rārahu, manehu, tākaka, rarauhe, mārohi, rarauhwē, rahurahu	Bracken	NT	CE, ED, DS, DW, RM, LT, FM, FE, M
<i>Pteris macilenta</i> C,F,M,T,W	Titipo	Brake, sweet fern	NT	ED, LT, FE, M
<i>Pteris tremula</i> C,F,M,T	Turawera	Shaking brake	NT	ED, LT, FE, M
<i>Pyrrosia eleagnifolia</i> C,F,M,T,W	Ota	Leatherleaf fern	NT	CE, ED, DS, DW, RM, LT, FE, M
<i>Rumohra adiantiformis</i> C,F,T	Karuwai	Leathery shield fern	NT	CE, ED, DS, DW, RM, LT, FE, M
<i>Schizaea australis</i> T		Southern comb fern	NT	DW, FS, M
<i>Schizaea fistulosa</i> T		Comb fern	NT	LT, FE, M
<i>Sticherus cunninghamii</i> T	Waekura, Tapuwae kotuku	Umbrella fern	NT	FE, M
<i>Tmesipteris elongata</i> C,F,M,T		Fork fern	NT	ED, LT, FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Taranua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Tmesipteris tannensis</i> F,M,T		Fork fern	NT	ED, LT, FE, M
<i>Trichomanes colensoi</i> T		Bristle fern	ARNU	FS, M
<i>Trichomanes elongatum</i> T		Bristle fern	NT	CE, ED, LT, FE, M
<i>Trichomanes endlicherianum</i> C,F,M,T,W	Pākauroharoha	Gully fern, feather fern	NT	DS, RM, FS
<i>Trichomanes strictum</i> T		Erect bristle fern	NT	RM, FS, M
<i>Trichomanes venosum</i> F,T,W		Veined bristle fern	NT	ED, LT, FE, M
<i>Zealandia novae-zelandiae</i> T		Mountain hounds tongue	NT	M
<i>Zealandia pustulatum</i> ssp. <i>pustulatum</i> C,F,M,T,W	Pāraharaha	Hound's tongue	NT	CE, ED, DW, LT, FM, FE, M

MOST RECENT SYNONYMS

Abrodictyum elongatum See *Trichomanes elongatum*
Abrodictyum strictum See *Trichomanes strictum*
Alsophila smithii See *Cyathea smithii*
Alsophila tricolor See *Cyathea dealbata*
Anarthropteris lanceolata See *Loxogramme dictyopteris*
Asplenium falcatum See *Asplenium polyodon*
Asplenium lucidum See *Asplenium oblongifolium*
Asplenium terestre ssp. *maritimum* See *Asplenium appendiculatum* ssp. *appendiculatum*
Asplenium terestre ssp. *terreste* See *Asplenium appendiculatum* ssp. *appendiculatum*
Azolla filiculoides See *Azolla rubra*
Blechnum banksii See *Blechnum blechnoides*
Blechnum blechnoides See *Austroleblechnum banksii*
Blechnum capense agg. See *Blechnum novae-zelandiae*
Blechnum chambersii See *Austroleblechnum lanceolatum*
Blechnum colensoi See *Austroleblechnum colensoi*
Blechnum discolor See *Lomaria discolor*
Blechnum fluviatile See *Cranfillia fluviatilis*
Blechnum membranaceum See *Austroleblechnum membranaceum*
Blechnum filiforme See *Icarus filiformis*
Blechnum minus See *Parablechnum minus*
Blechnum montanum See *Parablechnum montanum*
Blechnum nigrum See *Cranfillia nigra*
Blechnum novae-zelandiae See *Parablechnum novae-zelandiae*
Blechnum parrisiae See *Doodia australis*
Blechnum penna-marina ssp. *alpina* See *Austroleblechnum penna-marina*
Blechnum procerum See *Parablechnum procerum*
Blechnum triangularifolium See *Parablechnum triangularifolium*
Blechnum vulcanicum See *Cranfillia vulcanica*
Blechnum zealandicum See *Doodia squarrosa*
Cardiomanes reniforme See *Hymenophyllum nephrophyllum*
Cheilanthes humilis See *Cheilanthes sieberi* ssp. *sieberi*
Ctenitis decomposita See *Lastreopsis microsora* ssp. *pentangularis*
Ctenitis velutina See *Lastreopsis velutina*

C=Cook Strait **F**=Foxton **M**=Manawatu Plains **T**=Tararua **W**=Wellington / **E**=Extinct **DD**=Data Deficient **TNC**=Threatened Nationally Critical **TNE**=Threatened Nationally Endangered **TNV**=Threatened Nationally Vulnerable **ARD**=At Risk Declining **ARR**=At Risk Recovering **ARL**=At Risk Relict **ARNU**=At risk naturally uncommon **NNV**=Non-native Vagrant **NNC**=Non-native Coloniser **NT**=Not Threatened **IN**=Introduced and Naturalised /**SE**=Saline Estuary
CE=Coastal Escarpment **FD**=Fore Dune **ED**=Established Dune **DS**=Dune-land Stream **DW**=Dune-land Wetland **RM**=Riparian Margin **LT**=Lowland Terrace **FS**=Forest Seepage/Wetland **FM**=Forest Margin **FE**=Foothills, Escarpment **M**=Montane

Ctenopteris heterophylla See *Notogrammitis heterophylla*
Gleichenia cernata See *Gleichenia dicarpa*
Gleichenia cunninghamii See *Sticherus cunninghamii*
Grammitis billardierei See *Notogrammitis billardierei*
Grammitis ciliata See *Notogrammitis ciliata*
Grammitis heterophylla See *Ctenopteris heterophylla*
Grammitis pseudociliata See *Notogrammitis pseudociliata*
Grammitis magellanica ssp. *nothofageti* See *Notogrammitis angustifolia* ssp. *nothofageti*
Hymenophyllum atrovirens See *Hymenophyllum australe*
Hymenophyllum ferriugineum See *Hymenophyllum frankliniae*
Hypolepis distans See *Hiya distans*
Hypolepis punctata See *Hypolepis ambigua*
Hypolepis tenuifolia See *Hypolepis ambigua*
Lastreopsis glabella See *Parapolystichum glabellum*
Lastreopsis microsora ssp. *pentangularis* See *Parapolystichum microsorum* ssp. *pentangularare*
Lindsaea cuneata See *Lindsaea trichomanoides*
Lomaria latifolia See *Blechnum procerum*
Microsorum diversifolium See *Zealandia pustulatum* ssp. *pustulatum*
Microsorum novae-zealandiae See *Zealandia novae-zealandiae*
Microsorum pustulatum ssp. *pustulatum* See *Zealandia pustulatum* ssp. *pustulatum*
Microsorum scandens See *Dendroconche scandens*
Phymatosorus diversifolius See *Zealandia pustulatum* ssp. *pustulatum*
Phymatosorus pustulatus See *Zealandia pustulatum* ssp. *pustulatum*
Phymatosorus scandens See *Dendroconche scandens*
Pleurosorus rutifolius See *Asplenium subglandulosum*
Pneumatopteris pennigera See *Trichomanes endlicherianum*
Polyphlebium colensoi See *Trichomanes colensoi*
Polyphlebium endlicherianum See *Trichomanes endlicherianum*
Polyphlebium venosum See *Trichomanes venosum*
Polystichum richardii See (now 4 species) *Polystichum neozelandicum* ssp. *neozelandicum* or *P. neozelandicum* ssp. *zerophyllum* or *P. occulatum* or *P. wawranum*(Northland only)
Pteridium aquilinum var. *esculentum* See *Pteridium esculentum*
Pteris microphylla See *Paesia scaberula*
Pteris pendula See *Pteris macilenta*
Pyrrosia serpens See *Pyrrosia eleagnifolia*
Rumohra hispida See *Lastreopsis hispida*
Sphaeropteris medullaris See *Cyathea medullaris*
Thelypteris pennigera See *Pneumatopteris pennigera*
Todea hymenophylloides See *Leptopteris hymenophylloides*
Todea superba See *Leptopteris superba*
Trichomanes lyallii See *Hymenophyllum lyallii*
Trichomanes reniforme See *Cardiomanes reniforme*

Latin name	Māori name	Common name	Status	Habitat
ORCHIDS				
<i>Acianthus sinclairii</i> F,T(8)		Heart-leaved orchid, pixie cap	NT	LT, FE, M
<i>Aporostylis bifolia</i> T		Odd-leaved orchid	NT	FE, M
<i>Bulbophyllum pygmaeum</i> C,F,T		Pygmy tree orchid	NT	CE, ED, RM, LT, FM, FE, M
<i>Bulbophyllum tuberculatum</i> F,M,T			ARNU	CE, ED, RM, LT, FM, FE, M
<i>Caladenia chlorostyla</i> F(46),M(65),T(23)			NT	LT, FE, M
<i>Caladenia minor</i> C,F,M,T		Caladenia	DD	ED, LT, FE, M
<i>Caladenia variegata</i> M(24),T(22)			ARNU	LT, M
<i>Chiloglottis cornuta</i> C,F,T		Bird orchid, ant orchid	NT	ED, DW, RM, LT, FM, FE, M
<i>Corybas cheesemanii</i> F,M(62), T(45)		Helmet orchid, cheesemans spider orchid	NT	ED, LT, FE, M
<i>Corybas dienemus</i> T(59)		Spider orchid	TNC	RM, FS
<i>Corybas hatchii</i> T(13)		Spider orchid	NT	RM, FS
<i>Corybas iridescent</i> T(16)		Spider orchid, big red	NT	RM, FS
<i>Corybas macranthus</i> T(68)		Spider orchid	NT	LT, RM, FS
<i>Corybas oblongus</i> M(60), T(15)		Spider orchid	NT	ED, LT, FE, M
<i>Corybas rivularis</i> F,T		Spider orchid	ARNU	FS, FE
<i>Corybas aff. rivularis</i> "Kaitarakihi" T(58)		Spider orchid, silverback	TNC	RM
<i>Corybas trilobus</i> C,F,M,T	Winika, pekapeka	Spider orchid	NT	ED, LT, FE, M
<i>Corybas vitreus</i> T(63)		Spider orchid	NT	FE, M
<i>Corybas walliae</i> T(57)		Zellers spider orchid	NT	M
<i>Cyrtostylis rotundifolia</i> F		Winter Orchid	NT	ED, CE, FS, FE
<i>Danhatchia australis</i> T(73)		Yoania, Danhatchia	ARNU	FE
<i>Dendrobium cunninghamii</i> C,F,M,T	Winika, pekapeka	Christmas orchid	NT	CE, ED, LT, FE, M
<i>Drymoanthus adversus</i> C,F,M,T		Drymoanthus	NT	ED, LT, FE, M
<i>Drymoanthus flavus</i> T(17)		Little spotted moa	ARD	ED, LT, FE, M
<i>Earina aestivalis</i> F,T		Bamboo orchid, summer orchid	NT	CE, ED
<i>Earina autumnalis</i> C,F,M,T	Raupeka	Autumn orchid	NT	CE, ED, LT, FE, M
<i>Earina mucronata</i> C,F,M,T,W	Peka-a-waka	Bamboo orchid	NT	CE, ED, LT, FE, M
<i>Gastrodia cunninghamii</i> F,T	Perei	Black orchid	NT	FE, M
<i>Gastrodia minor</i> F		Small potato orchid, Gastrodia	NT	ED, LT, FE, M
<i>Gastrodia molloyi</i> T(50)		Molloy's potato orchid	NT	LT, FE
<i>Gastrodia sesamoides</i> F		Pot bellied orchid, cinnamon sticks	NT	ED
<i>Genoplesium nudum</i> T(6)		Red leek orchid	ARNU	FE, M
<i>Microtis oligantha</i> W(75)		Small onion orchid	NT	FE
<i>Microtis parviflora</i> T		Onion leaved orchid	NT	CE, ED, DW, LT, RM, FM, FE
<i>Microtis unifolia</i> C,F,M,T		Onion leaved orchid	NT	CE, ED, DW, LT, FM, FE, M
<i>Orthoceras novae-zealandiae</i> F,T(3)		Horned orchid	NT	CE, LT, FE, M
<i>Prasophyllum colensoi</i> F,T(42), W(47)		Leek orchid	NT	ED, LT, FM, FE, M
<i>Pterostylis allobula</i> C,F,M,T(9)		Greenhood	NT	ED, FE
<i>Pterostylis australis</i> T	Tutukiwi	Greenhood	NT	FE, M
<i>Pterostylis banksii</i> C,F,M,T		Greenhood	NT	ED, LT, FM, FE, M
<i>Pterostylis cardiotigma</i> T(26)		Greenhood	NT	LT, FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Pterostylis graminea</i> F,T(19)		Grass-leaved greenhood	NT	ED, DW, RM, LT, FE
<i>Pterostylis irsoniana</i> T(61)		Greenhood	NT	LT, FE, M
<i>Pterostylis montana</i> C,F,M(54)T		Greenhood	NT	ED, DW, DS, RM, LT, FE, M
<i>Pterostylis patens</i> T(54)	Tutukiwi	Greenhood	NT	M
<i>Pterostylis trullifolia</i> F(28),T(10)		Trowel-leaved orchid	NT	FE
<i>Pterostylis venosa</i> T(39)		Greenhood	NT	M
<i>Spiranthes australis</i> F,T(43)		Ladies tresses	ARD	CE, DW, DS, RM, LT, FS, FE, M
<i>Thelymitra colensoi</i> T(76)		Colenso's sun orchid	DD	FE
<i>Thelymitra cyanea</i> T(53)		Swamp or striped sun orchid	NT	DW, FS, M
<i>Thelymitra hatchii</i> T(74)		Hatch's sun orchid	NT	FE, M
<i>Thelymitra longifolia</i> C,F,M,T,W	Maikuku	Common sun orchid	NT	CE, ED, LT, FE, M
<i>Thelymitra pauciflora</i> F(40),M,T		Sun orchid	NT	CE, ED, DW, RM, LT, FM, FE
<i>Thelymitra pulchella</i> T		Striped Sun Orchid, Beautiful Sun Orchid	NT	CE, ED, DW, RM, LT, FE, M
<i>Townsonia deflexa</i> T			ARNU	LT, FE, M
<i>Waeria stenopetala</i> T		Yellow Beaks, Beak Orchid, Horizontal Orchid	NT	M

MOST RECENT SYNONYMS

Acianthus fornicatus var. *sinclairii* See *Acianthus sinclairii*
Adelopetalum tuberculatum See *Bulbophyllum tuberculatum*
Caladenia carnea agg. See *Petalochilus bartlettii*
Corunastylis nuda See *Genoplesium nudum*
Corybas longipetalus (Ined.) See *Corybas hatchii*
Corybas macranthus var. *longipetalus* See *Corybas hatchii*
Cyrtostylis reniformis See *Cyrtostylis rotundifolia*
Diplodium allobulum See *Pterostylis allobula*
Diplodium trullifolium See *Pterostylis trullifolia*
Ichthyostomum pygmaeum See *Bulbophyllum pygmaeum*
Lyperanthus antarcticus See *Waeria stenopetala*
Nematoceras iridescent See *Corybas iridescent*
Nematoceras longipetalum See *Corybas hatchii*
Nematoceras macranthum See *Corybas macranthus*
Nematoceras rivulare See *Corybas rivularis*
Nematoceras trilobum See *Corybas trilobus*
Orthoceras strictum See *Orthoceras novae-zeelandiae*
Petalochilus alatus See *Caladenia alata*
Petalochilus bartlettii See *Caladenia minor*
Petalochilus chlorostylus See *Caladenia chlorostyla*
Petalochilus variegatus See *Caladenia variegata*
Sarcochilus aduersus See *Drymoanthus aduersus*
Simpliglottis cornuta See *Chiloglottis cornuta*
Singularybas oblongus See *Corybas oblongus*
Spiranthes novae-zelandiae See *Spiranthes australis*
Thelymitra uniflora See *Thelymitra cyanea*
Winika cunninghamii See *Dendrobium cunninghamii*

C=Cook Strait **F**=Foxton **M**=Manawatu Plains **T**=Tararua **W**=Wellington / **E**=Extinct **DD**=Data Deficient **TNC**=Threatened Nationally Critical **TNE**=Threatened Nationally Endangered **TNV**=Threatened Nationally Vulnerable **ARD**=At Risk Declining **ARR**=At Risk Recovering **ARL**=At Risk Relict **ARNU**=At risk naturally uncommon **NNV**=Non-native Vagrant **NNC**=Non-native Coloniser **NT**=Not Threatened **IN**=Introduced and Naturalised /**SE**=Saline Estuary
CE=Coastal Escarpment **FD**=Fore Dune **ED**=Established Dune **DS**=Dune-land Stream **DW**=Dune-land Wetland **RM**=Riparian Margin **LT**=Lowland Terrace **FS**=Forest Seepage/Wetland **FM**=Forest Margin **FE**=Foothills, Escarpment **M**=Montane

Latin name	Māori name	Common name	Status	Habitat
GRASSES				
<i>Agrostis aucklandica</i> T		Pincushion grass	NT	M
<i>Agrostis muscosa</i> C			NT	CE, M
<i>Agrostis personata</i> T			NT	LT, M
<i>Amphibromus fluitans</i> F		Water brome	TNV	ED, RM, M
<i>Anemanthele lessoniana</i> C		Gossamer grass	ARL	CE, FM, FE, M
<i>Anthosachne kingiana</i> ssp. <i>multiflora</i> T		Blue grass, blue wheat grass	ARD	CE, LT, FE
<i>Anthoxanthum redolens</i> T	Kāretu	Holy grass	NT	CE, LT, FE, M
<i>Austroderia fulvida</i> C,F,T,W	Toetoe	Toetoe	NT	CE, DS, DW, RM, LT, FS, FE, M
<i>Austroderia splendens</i> F	Toetoe		NT	CE, FD, ED, DS, DW
<i>Austroderia toetoe</i> C,F,M,T	Toetoe		NT	DS, DW, RM, FS, FE, M
<i>Chionochloa australis</i> T			NT	M
<i>Chionochloa conspicua</i> ssp. <i>conspicua</i> T	Hunungamoho	Broad-leaved brush tussock	NT	CE, ED, LT, FE, M
<i>Chionochloa conspicua</i> ssp. <i>cunninghamii</i> T	Hunangamoho	Broad-leaved brush tussock	NT	FE, M
<i>Chionochloa flavescens</i> ssp. <i>flavescens</i> T		Broad-leaved snow tussock	NT	M
<i>Chionochloa macra</i> T		Slim snow tussock	NT	M
<i>Chionochloa pallens</i> ssp. <i>pallens</i> T(100)		Mid-ribbed snow tussock	NT	M
<i>Connorochloa tenuis</i> F		Prostrate bluegrass	NT	ED, LT
<i>Echinopogon ovatus</i> C,F,M,T		Hedgehog grass	NT	ED, LT
<i>Festuca multinodis</i> C		Creeping fescue	NT	CE, M
<i>Hierochloe recurvata</i> T		Holy grass	NT	M
<i>Isachne globosa</i> F(77)		Swamp millet	NT	DS, DW, RM
<i>Lachnagrostis billardierei</i> ssp. <i>billardierei</i> C,F		Sand wind grass	NT	CE, FD, ED, RM
<i>Lachnagrostis filiformis</i> C,F		New Zealand wind grass	NT	CE, ED, RM, M
<i>Lachnagrostis littoralis</i> ssp. <i>littoralis</i> C		Coastal wind grass	NT	CE
<i>Lachnagrostis pilosa</i> ssp. <i>pilosa</i> C		Robust wind grass	NT	CE, RM, M
<i>Microlaena avenacea</i> C,F,M,T		Bush rice grass	NT	ED, LT, FE, M
<i>Microlaena polynoda</i> F		Bamboo grass	NT	ED, LT, FE, M
<i>Microlaena stipoides</i> C,F,M,T		Slender rice grass	NT	ED, LT, FE, M
<i>Oplismenus hirtellus</i> ssp. <i>imbecillus</i> C,F,M,T			NT	CE, LT, FE, M
<i>Pentapogon crinitus</i> F,M,T		Long-hair plume grass	NT	ED, DW, RM, FM, FE, M
<i>Poa anceps</i> C,F,T,W		Broad-leaved poa	NT	CE, LT, FE, M
<i>Poa billardierei</i> C,F		Sand tussock	ARD	FD, ED
<i>Poa cita</i> C		Silver tussock	NT	CE, LT, FE, M
<i>Poa colensoi</i> T		Blue tussock	NT	M
<i>Poa imbecilla</i> C		Weak poa	NT	CE, LT, FE, M
<i>Poa kirkii</i> T		Kirk's poa	NT	M
<i>Poa matthewsii</i> C			NT	CE, LT, FE, M
<i>Poa pusilla</i> F,M			NT	LT, FE, M
<i>Puccinellia stricta</i> C,F		Salt grass	NT	SE, RM, M
<i>Rytidosperma clavatum</i> C,F,M,T		Bristle grass	NT	ED, LT, FE, M
<i>Rytidosperma gracile</i> C,F,M,T		Dainty bristle grass	NT	ED, LT, FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Rytidosperma nigricans</i> T		Bristle grass	NT	M
<i>Rytidosperma petrosum</i> C		Cook Strait bristle grass	ARNU	CE
<i>Rytidosperma unarede</i> C,F,T		Bristle grass	NT	LT, FE, M
<i>Spinifex sericeus</i> C,F	Kōwhangatara	Spinifex	NT	FD
<i>Trisetum antarcticum</i> C			ARD	CE, FD
<i>Trisetum youngii</i> T			NT	M
<i>Zotovia colensoi</i> T			NT	M
<i>Zoysia minima</i> F		Prickly couch	ARD	CE, ED, DS

MOST RECENT SYNONYMS

Agropyron kirkii See *Elymus multiflorus* ssp. *multiflorus*
Agropyron scabrum See *Connorochloa tenuis*
Arundo conspicua See *Austroderia fulvida*
Atropis stricta See *Puccinellia stricta*
Austrofestuca littoralis See *Poa billardierei*
Cortaderia fulvida See *Austroderia fulvida*
Cortaderia splendens See *Austroderia splendens*
Cortaderia toetoe See *Austroderia toetoe*
Deyeuxia aucklandica See *Agrostis aucklandica*
Deyeuxia billardierei See *Poa billardierei*
Deyeuxia crinita See *Pentapogon crinitus*
Dichelachne crinita See *Pentapogon crinitus*
Elymus multiflorus ssp. *multiflorus* See *Anthosachne kingiana* ssp. *multiflora*
Hierochloe redolens See *Anthoxanthum redolens*
Oplismenus imbecillus See *Oplismenus hirtellus* ssp. *imbecillus*
Spinifex hirstatus See *Spinifex sericeus*

SEDGES

<i>Bulboschoenus caldwellii</i> C,F	Purua grass	Caldwell's clubrush	NT	SE, ED, DW
<i>Bulboschoenus fluvialis</i> F	Kukuraho	Marsh clubrush	NT	SE, ED, DW, DS, RM
<i>Bulboschoenus medianus</i> F(79)	Purua grass	Purua grass	NT	SE, ED, DW, DS, RM
<i>Carex acicularis</i> T(78)		Sedge	NT	M
<i>Carex astricta</i> T		Bastard grass, hook grass	NT	FS, M
<i>Carex banksiana</i> C,F,T		Fine-leaved bastard grass	NT	ED, LT, FE, M
<i>Carex breviculmis</i> C,M,T		Grassland sedge	NT	CE, ED, LT, FE, M
<i>Carex buchananii</i> F		Buchanan's sedge, cutty grass	ARD	ED, DS, DW, RM, FS, M
<i>Carex cheesemaniana</i> T		Hook Sedge, bastard grass	NT	M
<i>Carex coriacea</i> T	Rautahi	Cutty grass	NT	DW, FS, FE, M
<i>Carex corynoidea</i> F		Bastard grass, fishhooks	NT	RM, FE, M
<i>Carex cyanea</i> C		Bastard grass, hook grass	ARD	ED
<i>Carex diandra</i> C		Sedge	NT	ED, DW, LT, RM, FS, FE
<i>Carex dipsacea</i> F,T(136)		Teasel sedge	NT	ED, DW, LT, RM, FS, FE
<i>Carex dissita</i> C,F,M,T		Forest sedge	NT	ED, DS, LT, RM, FS, FE

C=Cook Strait **F**=Foxton **M**=Manawatu Plains **T**=Tararua **W**=Wellington / **E**=Extinct **DD**=Data Deficient **TNC**=Threatened Nationally Critical **TNE**=Threatened Nationally Endangered **TNV**=Threatened Nationally Vulnerable **ARD**=At Risk Declining **ARR**=At Risk Recovering **ARL**=At Risk Relict **ARNU**=At risk naturally uncommon **NNV**=Non-native Vagrant **NNC**=Non-native Coloniser **NT**=Not Threatened **IN**=Introduced and Naturalised /**SE**=Saline Estuary
CE=Coastal Escarpment **FD**=Fore Dune **ED**=Established Dune **DS**=Dune-land Stream **DW**=Dune-land Wetland **RM**=Riparian Margin **LT**=Lowland Terrace **FS**=Forest Seepage/Wetland **FM**=Forest Margin **FE**=Foothills, Escarpment **M**=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Carex erythrovaginata</i> T		Lax bastard grass, hook sedge	NT	ED, LT, FE, M
<i>Carex flagellifera</i> C,F,M,T		Trip me up, Glen Murray tussock	NT	ED, LT, FE, M
<i>Carex forsteri</i> C,F,T		Forster's sedge	NT	ED, DS, DW, LT, RM, FS, FE, M
<i>Carex geminata</i> C,F,M,T		Cutty grass	NT	ED, DS, DW, LT, RM, FS, FE, M
<i>Carex hamlinii</i> T		Aston's bastard grass	NT	M
<i>Carex healyi</i> C,F,T		Harsh-leaved bastard grass	NT	ED, LT, FE, M
<i>Carex horizontalis</i> T		Bastard grass, hook sedge	NT	FE, M
<i>Carex imbecilla</i> T		Feeble or delicate bastard grass	NT	FE, M
<i>Carex inversa</i> C,F,M,T		Creeping lawn sedge	NT	ED, LT, FE
<i>Carex lambertiana</i> C,F,T		Forest sedge	NT	ED, DS, LT, RM, FE
<i>Carex lectissima</i> T		Fine-leaved bastard grass, hook sedge	NT	M
<i>Carex lessoniana</i> F,M,T		Cutty grass	NT	ED, DW, LT, FS
<i>Carex litorosa</i> F	Makura	Sea sedge	ARD	SE
<i>Carex māorica</i> C,F,M,T		Māori sedge	NT	CE, DS, DW, LT, FS
<i>Carex megalepis</i> C,F,T		Bastard grass, cavers beard	NT	ED, LT, FE, M
<i>Carex obtusifolia</i> T		Fine-leaved bastard grass	NT	M
<i>Carex pumila</i> C,F		Sand sedge	NT	ED, DS
<i>Carex punicea</i> T		Red Bastard Grass, Frost Flat Hook Grass	NT	M
<i>Carex raoulii</i> C		Coastal Forest sedge	NT	ED, LT
<i>Carex 'raotest'</i> F			NT	CE, ED, LT, FE, M
<i>Carex resectans</i> C	Pukio	Desert sedge	NT	CE, DS, RM, FS, M
<i>Carex secta</i> C,F,M,T		Niggerhead	NT	DW, FS, M
<i>Carex silvestris</i> T		Forest bastard grass, hook sedge	NT	FS, M
<i>Carex solandri</i> C,F,M,T		Forest sedge, solanders sedge	NT	CE, DS, RM, FS, M
<i>Carex subviridis</i> T		Hook Sedge, bastard grass, hook grass	NT	CE, ED, LT, FE, M
<i>Carex ternaria</i> F	Rautahi	Southern cutty grass	NT	ED, DS, DW, LT, RM, FS, FE, M
<i>Carex testacea</i> C,F,T(14)		Speckled sedge, trip me up	NT	CE, ED, LT, FE, M
<i>Carex uncinata</i> C,F,M,T,W	Matau a Māui	Hooked sedge	NT	ED, LT, FE, M
<i>Carex virgata</i> C,F,M,T		Swamp sedge	NT	CE, DS, DW, RM, LT, FS, FE, M
<i>Carex zotovii</i> T		Zotov's bastard grass	NT	ED, LT, FE, M
<i>Carpha alpina</i> T		Carpha	NT	M
<i>Cyperus ustulatus</i> f. <i>ustulatus</i> C,F,M,T	Toetoe upokotangata	Giant umbrella sedge	NT	DW
<i>Eleocharis acuta</i> C,F,T		Sharp spike sedge	NT	DS, DW, RM, LT, FS, FE, M
<i>Eleocharis gracilis</i> C,F,M,T		Slender spike sedge	NT	DS, DW, RM, LT, FS, FE, M
<i>Eleocharis neozelandica</i> F		Sand spike sedge, spike sedge	ARD	SE, DW, RM
<i>Eleocharis sphacelata</i> F	Kuta	Bamboo spike sedge	NT	DW, RM, LT
<i>Ficinia nodosa</i> C,F,T	Wiwi	Knobby club rush, ethel sedge	NT	ED, DW, M
<i>Ficinia spiralis</i> C,F	Pingao	Golden sand sedge	ARD	ED
<i>Gahnia pauciflora</i> F,T		Cutting sedge	NT	ED, LT, FE, M
<i>Gahnia procera</i> T		Giant sedge, gahnia, mountain gahnia	NT	M
<i>Gahnia setifolia</i> C,F,T	Mapere	Giant Gahnia, Razor Sedge	NT	ED, RM, LT, FE, M
<i>Gahnia xanthocarpa</i> C,F,M		Gahnia	NT	ED, DW, DS, RM, LT, FS, FE, M
<i>Isolepis aucklandica</i> T	Tupari maunga		NT	DW, FS, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Isolepis basilaris</i> F		Pygmy clubrush	ARD	SE, DW, RM, FS
<i>Isolepis cernua</i> var. <i>cernua</i> C,F,T		Slender clubrush	NT	CE, DW, DS, RM, FS
<i>Isolepis distigmatosa</i> F (27)			NT	DW, RM, FS, M
<i>Isolepis habra</i> T			NT	M
<i>Isolepis inundata</i> C,F,M,T			NT	DW, DS, RM, FS, M
<i>Isolepis pottsii</i> F,T			NT	RM, FS, FM, M
<i>Isolepis praetextata</i> C,F			DD	CE, ED, DW
<i>Isolepis prolifera</i> C,F,M,T			NT	DW, DS, RM, M
<i>Isolepis reticularis</i> C,F,T,W			NT	CE, DS, RM, FS, M
<i>Isolepis subtilissima</i> F,T			NT	DW, M
<i>Lepidosperma australe</i> C,F		Square stemmed sedge	NT	ED, DW, LT, M
<i>Lepidosperma laterale</i> F		Sword sedge	NT	ED, DW, LT
<i>Machaerina arthrophylla</i> F			NT	DW, DS, RM, FS
<i>Machaerina articulata</i> F			NT	DS, DW, RM
<i>Machaerina juncea</i> C	Kuawa	Jointed baumea or twig rush	NT	SE, DS, DW
<i>Machaerina rubiginosa</i> C,F,M		Tussock swamp twig rush	NT	DW, DS, RM, FS, M
<i>Machaerina tenax</i> C,F,M		Baumea	NT	DW, RM, M
<i>Machaerina teretifolia</i> F			NT	DW, DS
<i>Oreobolus pectinatus</i> T		Common twig rush, pakihī sedge	NT	M
<i>Oreobolus strictus</i> T		Comb, cushion or flat-leaved comb sedge	NT	CE, LT, FS, FE, M
<i>Schoenoplectus pungens</i> C,F		Comb sedge	NT	SE, DS, RM, FS, M
<i>Schoenoplectus tabernaemontani</i> C,F,T		Three square	NT	SE, DS, RM, FS, M
<i>Schoenus apogon</i> C,T			NT	ED, DW, LT, FE, M
<i>Schoenus concinnus</i> C			NT	SE, ED, DW, DS, RM, LT, FS, FE, M
<i>Schoenus maschalinus</i> C,F,T		Dwarf bog rush	NT	SE, ED, DW, DS, RM, LT, FS, FE, M
<i>Schoenus nitens</i> C,F			NT	SE, DW, DS, RM
<i>Schoenus pauciflorus</i> T		Bog rush, sedge tussock	NT	M
<i>Schoenus tendo</i> F		Kauri sedge, kauri schoenus	NT	ED, DW, LT

MOST RECENT SYNONYMS

Baumea arthrophylla See *Machaerina arthrophylla*
Baumea articulata See *Machaerina articulata*
Baumea huttonii See *Machaerina arthrophylla*
Baumea juncea See *Machaerina juncea*
Baumea rubiginosa See *Machaerina rubiginosa*
Baumea tenax See *Machaerina tenax*
Baumea teretifolia See *Machaerina teretifolia*
Carex inconspicua See *Carex acicularis*
Carex lucida See *Carex flagellifera*
Desmoschoenus spiralis See *Ficinia spiralis*
Isolepis nodosa See *Ficinia nodosa*

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Mariscus ustulatus See *Cyperus ustulatus* f. *ustulatus*
Schoenoplectus validus See *Schoenoplectus tabernaemontani*
Scirpus americanus See *Schoenoplectus pungens*
Scirpus caldwellii See *Bolboschoenus caldwellii*
Scirpus cernuus See *Isolepis cernua* var. *cernua*
Scirpus fluviatilis See *Bolboschoenus fluviatilis*
Scirpus habrus See *Isolepis habra*
Scirpus inundatus See *Isolepis inundata*
Scirpus lacustris See *Schoenoplectus tabernaemontani*
Scirpus medianus See *Bolboschoenus medianus*
Scirpus nodosus See *Ficinia nodosa*
Scirpus pottsii See *Isolepis pottsii*
Scirpus prolifer See *Isolepis prolifer*
Scirpus pungens See *Schoenoplectus pungens*
Scirpus reticularis See *Isolepis reticularis*
Uncinia astonii See *Carex hamlinii*
Uncinia banksii See *Carex banksiana*
Uncinia caespitosa See *Carex astricta*
Uncinia clavata See *Carex corynoidea*
Uncinia distans See *Carex subviridis*
Uncinia ferruginea See *Carex megalepis*
Uncinia filiformis See *Carex lectissima*
Uncinia gracilenta See *Carex imbecilla*
Uncinia laxiflora See *Carex erythrovaginata*
Uncinia leptostachya See *Carex cyanea*
Uncinia nervosa See *Carex cheesemaniana*
Uncinia obtusifolia See *Carex obtusifolia*
Uncinia rubra See *Carex punicea*
Uncinia rupestris See *Carex horizontalis* or *Carex lectissima* or *Carex minor*
Uncinia scabra See *Carex healyi*
Uncinia silvestris See *Carex silvestris*
Uncinia uncinata See *Carex uncinata*
Uncinia zotovii See *Carex zotovii*

Latin name	Māori name	Common name	Status	Habitat
RUSHES & ALLIED SPECIES				
<i>Apodasmia similis</i> C,F	Oioi	Jointed wire rush	NT	SE, DS, RM
<i>Juncus antarcticus</i> F,T		Dwarf rush	NT	DW, FS, M
<i>Juncus australis</i> C,F,M,T	Wiwi	Leafless rush	NT	ED, DW, LT, FS, FE, M
<i>Juncus caespiticius</i> C,F,T		Grass-leaved rush	ARD	CE, DW, FS, FE
<i>Juncus distegus</i> C,T		Two storey rush	ARNU	DW, LT, FS, M
<i>Juncus edgariae</i> C,F,M,T		Edgars rush	NT	DW, LT, FS, M
<i>Juncus kraussii</i> var. <i>australiensis</i> C,F		Sea rush	NT	SE, DS
<i>Juncus novae-zelandiae</i> T		Dwarf rush	NT	M

C=Cook Strait **F**=Foxton **M**=Manawatu Plains **T**=Tararua **W**=Wellington / **E**=Extinct **DD**=Data Deficient **TNC**=Threatened Nationally Critical **TNE**=Threatened Nationally Endangered **TNV**=Threatened Nationally Vulnerable **ARD**=At Risk Declining **ARR**=At Risk Recovering **ARL**=At Risk Relict **ARNU**=At risk naturally uncommon **NNV**=Non-native Vagrant **NNC**=Non-native Coloniser **NT**=Not Threatened **IN**=Introduced and Naturalised / **SE**=Saline Estuary
CE=Coastal Escarpment **FD**=Fore Dune **ED**=Established Dune **DS**=Dune-land Stream **DW**=Dune-land Wetland **RM**=Riparian Margin **LT**=Lowland Terrace **FS**=Forest Seepage/Wetland **FM**=Forest Margin **FE**=Foothills, Escarpment **M**=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Luzula rufa</i> var. <i>rufa</i> T		Red woodrush	NT	M
<i>Luzula subclavata</i> T			NT	FE
<i>Juncus pallidus</i> C,F,T		Giant rush, leafless rush	NT	CE, DW, RM, LT, FS
<i>Juncus planifolius</i> C,F,M,T,W		Grass-leaved rush	NT	DW, LT, FS, M
<i>Juncus pusillus</i> C		Dwarf rush	ARNU	DW, FS, M
<i>Juncus sarophorus</i> C,F,M,T		Fan flowered rush	NT	DW, RM, LT, FS
<i>Luzula banksiana</i> var. <i>banksiana</i> C		Coastal woodrush	NT	CE
<i>Luzula picta</i> var. <i>limosa</i> T			NT	FS, FE
<i>Luzula picta</i> var. <i>picta</i> C,F,T			NT	CE, ED, RM, LT, FM, FE, M

MOST RECENT SYNONYMS

Juncus gregiflorus See *Juncus edgariae*

Juncus maritimus var. *australiensis* See *Juncus kraussii* var. *Australiensis*

Leptocarpus similis See *Apodasmia similis*

MONOCOT HERBS OTHER THAN ORCHIDS, GRASSES, SEDGES

<i>Arthropodium candidum</i> C,F,M,T	Rengarenga	New Zealand lily, bush lily	NT	ED, LT, FE
<i>Arthropodium cirratum</i> Please note: Introduced to Paekākāriki only by mana whenua prior to European settlement, now naturalised at site, (Shepherd et. al., 2018).	W(49)			
<i>Astelia fragrans</i> C,F,M,T	Rengarenga	Rengarenga, renga lily, rock lily	NT	CE
<i>Astelia grandis</i> F,M	Kakaha	Bush flax, bush lily	NT	ED, DW, LT, FE
<i>Astelia hastata</i> C,F,M,T,W	Kārearea	Swamp astelia	NT	DW, RM, FS, M
<i>Astelia linearis</i> var. <i>novaehollandiae</i> T	Kahakaha	Kahakaha	NT	ED, LT, FE, M
<i>Astelia microsperma</i> T			NT	M
<i>Astelia nervosa</i> T			NT	FE, M
<i>Astelia solandri</i> C,F,T	Kōwharawhara	Mountain astelia	NT	M
<i>Bulbinella gibbsii</i> var. <i>balanifera</i> T(104)		Perching astelia	NT	CE,ED,DS,DW, RM,LT,FS,FE
<i>Bulbinella hookerii</i> T(82)		Māori onion	NT	M
<i>Centrolepis ciliata</i> T		Māori onion	NT	M
<i>Dianella nigra</i> C,F,T	Tūruru	Centrolepis	NT	M
<i>Lemna disperma</i> C,F,M,T	Kārearea	New Zealand Blueberry	NT	ED, DW, LT, FE, M
<i>Libertia grandiflora</i> T	Mīkoikoi	Common duck weed	NT	DW, DS, RM, FS
<i>Libertia ixoides</i> C,F,T	Mīkoikoi	New Zealand iris	NT	CE, RM, LT, FM, FE, M
<i>Libertia micrantha</i> T	Mīkoikoi	New Zealand iris	NT	CE, ED, DS, RM, LT, FE, M
<i>Libertia peregrinans</i> F	Mīkoikoi	New Zealand iris	NT	RM, FE, M
<i>Luzuriaga parviflora</i> T	Nohi, Pūwatawata	New Zealand iris	TNV	CE, ED, DS
<i>Phormium cookianum</i> ssp. <i>cookianum</i> C,T	Wharariki	Lantern berry	NT	M
<i>Phormium cookianum</i> ssp. <i>hookeri</i> C,F	Wharariki	Mountain flax	NT	M
<i>Phormium tenax</i> C,F,M,T,W	Harakeke	Mountain flax	NT	CE, ED, LT, FE, M
<i>Potamogeton cheesemanii</i> C,F,T		Flax	NT	DW, DS, RM, FS, M
<i>Ruppia megacarpa</i> F		Red pond weed	NT	DW, DS, RM, FS
<i>Ruppia polycarpa</i> F		Horses mane weed, lakeweed	ARNU	SE, DS
<i>Sparganium subglobosum</i> C,F	Maru	Horses mane weed, lakeweed	NT	SE, DS
		Burr-reed	NT	DW, DS, RM, FS

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Stuckenia pectinata</i> F		Fennel-leaved or sago pond-weed	ARNU	SE, DS
<i>Triglochin striata</i> C,F,T		Triglochin	NT	CE, ED, DW, LT, FS, FE
<i>Typha orientalis</i> C,F,M,T	Raupō	Bullrush	NT	DW, RM, FS
<i>Wolffia australiana</i> F,T		Water-meal	NT	DW, RM, FS
<i>Zostera muelleri</i> ssp. <i>novozelandica</i> C	Nana	Seagrass, eelgrass	ARD	SE

MOST RECENT SYNONYMS

Collospermum hastatum See *Astelia hastata*
Collospermum microspermum See *Astelia microsperma*
Lemna minor See *Lemna disperma*
Libertia pulchella See *Libertia micrantha*
Potamogeton pectinatus See *Stuckenia pectinata*
Triglochin striatum See *Triglochin striata*
Typha muelleri See *Typha orientalis*

DAISY-LIKE HERBS (COMPOSITES)

<i>Abrotanella caespitosa</i> T			NT	M
<i>Abrotanella fertilis</i> T			NT	M
<i>Abrotanella linearis</i> T			NT	M
<i>Abrotanella pusilla</i> T			NT	M
<i>Anaphalioides alpina</i> T(140)			NT	M
<i>Anaphalioides bellidioides</i> T		Hells Bells	NT	FE, M
<i>Anaphalioides trinervis</i> T			NT	FE, M
<i>Brachyglossis lagopus</i> T			NT	FE, M
<i>Celmisia dubia</i> T		Mountain daisy	NT	M
<i>Celmisia hieraciifolia</i> var. <i>hieraciifolia</i> T(95)		Mountain daisy	NT	M
<i>Celmisia hieraciifolia</i> var. <i>oblonga</i> T		Mountain daisy	NT	M
<i>Celmisia spectabilis</i> ssp. <i>spectabilis</i> T		Common mountain daisy, cotton plant	NT	M
<i>Centipeda aotearoana</i> F(56)		NZ Sneezewort	ARNU	DS, DW, RM, FS
<i>Centipeda cunninghamii</i> F		Sneezeweed	NT	ED, DS, RM, FS, M
<i>Centipeda elatinoides</i> F,T		Sneezeweed, snuff weed	NT	ED, DS, RM, FS, M
<i>Centipeda minima</i> ssp. <i>minima</i> C,F		Sneezeweed, centipeda	TNE	ED, DW, FS
<i>Cotula australis</i> C,F(55),T		Common cotula, soldier's button	NT	ED, DW, LT
<i>Cotula coronopifolia</i> C,F		Bachelors button, yellow buttons	NT	ED, RM
<i>Craspedia minor</i> C,T		Small craspedia, woolyhead	NT	ED, DW, FS, M
<i>Craspedia uniflora</i> var. <i>grandis</i> C		Woolyhead	ARD	CE, M
<i>Craspedia uniflora</i> var. <i>maritima</i> C		Woolyhead	NT	CE
<i>Craspedia viscosa</i> C		Woolyhead	NT	ED, LT, FE, M
<i>Euchiton audax</i> C,F,M,T			NT	ED, LT
<i>Euchiton delicatus</i> F			NT	ED, DW, LT
<i>Euchiton involucratus</i> C,F,M,T			NT	DW, FS
<i>Euchiton japonicus</i> C,F,M,T		Cudweed	NT	ED, LT, FE, M

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Euchiton limosus</i> C,F,M,T			NT	DW, RM, LT, FS, M
<i>Euchiton sphaericus</i> T			NT	FE, M
<i>Helichrysum filicaule</i> C,F,M,T,W		Creeping slender everlasting daisy	NT	ED, LT, FE, M
<i>Lagenophora pumila</i> C,F,T,W	Papataniwhaniwha		NT	ED, LT, FE
<i>Lagenophora strangulata</i> T	Parani		NT	M
<i>Leptinella dioica</i> C,F		Shore cotula	NT	DW, ED, FS
<i>Leptinella dispersa</i> ssp. <i>dispersa</i> C,F			ARNU	CE
<i>Leptinella mariatoto</i> F			ARL	SE, DW, RM, FS, M
<i>Leptinella nana</i> C		Pygmy button daisy	TNC	CE, FE, M
<i>Leptinella squalida</i> ssp. <i>squalida</i> C			NT	CE, FE
<i>Leptinella tenella</i> C,F,T			NT	DW, DS, RM, FS
<i>Leucogenes leontopodium</i> T(109)		North Island edelweiss	NT	M
<i>Leucogenes leontopodium</i> x <i>Raoulia rubra</i> T(103)		Natural hybrid	NT	M
<i>Microseris scapigera</i> C			NT	ED, LT
<i>Pseudognaphalium lanatum</i> C(141)			NT	CE, FE, M
<i>Pseudognaphalium luteoalbum</i> C,F,M,T,W			NT	ED, LT, FE, M
<i>Raoulia glabra</i> T		Mat daisy	NT	LT, FE, M
<i>Raoulia grandiflora</i> T		Large-flowered mat daisy	NT	M
<i>Raoulia hookeri</i> var. <i>hookeri</i> C,F		Scabweed mat daisy	NT	CE, M
<i>Raoulia rubra</i> T(80)	Tutahuna	Vegetable sheep	ARNU	M
<i>Raoulia tenuicaulis</i> T		Mat daisy	NT	RM
<i>Senecio biserratus</i> F		Fireweed	ARD	CE, ED, LT
<i>Senecio esler</i> C(142)		Esler's fireweed, hairy-legs groundsel	NT	CE, M
<i>Senecio glomeratus</i> ssp. <i>glomeratus</i> C,F		Fireweed	NT	CE,ED, DW, LT, FS, FM, FE, M
<i>Senecio hispidulus</i> C,F,M,T		Fireweed	NT	CE, ED, LT, FE, M
<i>Senecio laetus</i> C,F		Shore or variable groundsel	NT	CE, FD, ED, LT
<i>Senecio minimus</i> C,F,M,T,W		Fireweed	NT	CE, ED, LT, FM, FE, M
<i>Senecio quadridentatus</i> C,F		Cotton or white fireweed	NT	CE, ED, RM, LT, FM, FE, M
<i>Senecio rufiglandulosus</i> C			NT	DS, RM, FM, M
<i>Sonchus kirkii</i> C,F	Pūhā, raurōroa	New Zealand sow thistle	ARD	CE
<i>Vittadinia australis</i> C,F,T		White fuzzweed	NT	CE, RM, FE, M

MOST RECENT SYNONYMS

Anaphalioides keriensis ssp. See *Anaphalioides trinervis*
Centipeda orbicularis See *Centipeda elatinoides*
Cotula doica ssp. *monoica* See *Leptinella dioica*
Cotula membranacea See *Leptinella tenella*
Craspedia minor var. *viscosa* See *Craspedia viscosa*
Erechtites minima See *Senecio minimus*
Euchiton collinus See *Euchiton japonicus*
Euchiton gymnocephalus See *Euchiton collinus*
Gnaphalium audax See *Euchiton audax*
Gnaphalium collinum See *Euchiton collinus*

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Gnaphalium gymnocephalum See *Euchiton collinus*
Gnaphalium involucratum See *Euchiton involucratus*
Gnaphalium keriense See *Anaphalioides trinervis*
Gnaphalium limosum See *Euchiton limosus*
Gnaphalium luteo-album See *Pseudognaphalium luteoalbum*
Gnaphalium sphaericus See *Euchiton sphaericus*
Helichrysum alpina See *Anaphalioides alpina*
Helichrysum bellidoides See *Anaphalioides bellidoides*
Lagenifera pumila See *Lagenophora pumila*
Lagenifera strangulata See *Lagenophora strangulata*
Leptinella membranacea See *Leptinella tenella*
Senecio lagopus See *Brachyglottis lagopus*
Senecio saxifragoides See *Brachyglottis lagopus*
Sonchus littoralis See *Sonchus kirkii*

Latin name	Māori name	Common name	Status	Habitat
DICOT HERBS OTHER THAN COMPOSITES				
<i>Acaena anserinifolia</i> C,F,M,T	Hutiwai	Bidibidi	NT	ED, DS, RM, LT, FM, M
<i>Acaena juvenca</i> C		Bidibid	NT	CE, FM, M
<i>Acaena novae-zelandiae</i> F,M,T		Red Bidibid	NT	ED, DS, RM, LT, FM, M
<i>Acaena pallida</i> F		Sand piripiri, sand bidibidi	ARD	FD, ED
<i>Aciphylla colensoi</i> T	Taramea	Giant speargrass	NT	M
<i>Aciphylla dissecta</i> T			ARNU	M
<i>Aciphylla intermedia</i> T(101)		Hybrid <i>A. dissecta</i> × <i>A. colensoi</i>	NT	M
<i>Aciphylla monroi</i> T		Little speargrass	NT	T
<i>Aciphylla polita</i> T			NT	M
<i>Aciphylla squarrosa</i> var. <i>flaccida</i> C		Spaniard, speargrass	NT	CE, FE, M
<i>Anisotome aromatica</i> T	Kopoti	Aromatic aniseed, common aniseed	NT	M
<i>Anisotome haastii</i> T		Haasts carrot	NT	M
<i>Apium prostratum</i> ssp. <i>prostratum</i> var. <i>filiforme</i> C,F		New Zealand celery	NT	DS, DW, ED, LT
<i>Atriplex buchananii</i> C		Buchanan's orache	TNV	CE, ED
<i>Australina pusilla</i> ssp. <i>pusilla</i> T			NT	FE, M
<i>Azorella hookerii</i> C			NT	DS
<i>Azorella nitens</i> T(111)			NT	RM, FS, M
<i>Callitriche muelleri</i> F,M,T		Muellers starwort	NT	ED, DS, DW, RM, LT, FS, FE, M
<i>Caltha novae-zelandiae</i> T		NZ Marsh marigold, yellow caltha	NT	M
<i>Cardamine alalata</i> T			NT	M
<i>Cardamine bilobata</i> T		Native bittercress	TNC	M
<i>Cardamine chlorina</i> T			NT	RM, FS, FE, M
<i>Cardamine corymbosa</i> C			NT	CE, M
<i>Cardamine debilis</i> agg. C,F,M,T,W	Panapana	NZ bitter cress	NT	ED, DS, RM, LT, FS, FE
<i>Cardamine dolichostyla</i> T			NT	LT, FS, FM, FE, M
<i>Cardamine flexuosa</i> F,T			NT	LT, FS, FM, FE, M
<i>Cardamine forsteri</i> T			NT	LT, FE

C=Cook Strait **F**=Foxton **M**=Manawatu Plains **T**=Tararuā **W**=Wellington / **E**=Extinct **DD**=Data Deficient **TNC**=Threatened Nationally Critical **TNE**=Threatened Nationally Endangered **TNV**=Threatened Nationally Vulnerable **ARD**=At Risk Declining **ARR**=At Risk Recovering **ARL**=At Risk Relict **ARNU**=At risk naturally uncommon **NNV**=Non-native Vagrant **NNC**=Non-native Coloniser **NT**=Not Threatened **IN**=Introduced and Naturalised /**SE**=Saline Estuary
CE=Coastal Escarpment **FD**=Fore Dune **ED**=Established Dune **DS**=Dune-land Stream **DW**=Dune-land Wetland **RM**=Riparian Margin **LT**=Lowland Terrace **FS**=Forest Seepage/Wetland **FM**=Forest Margin **FE**=Foothills, Escarpment **M**=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Cardamine glara</i> T			NT	FS, M
<i>Cardamine heleniae</i> F(72)			NT	LT, RM
<i>Cardamine polyodontes</i> T			NT	M
<i>Centella uniflora</i> C,F,M,T,W		Centella	NT	DW, LT
<i>Chaerophyllum colensoi</i> var. <i>colensoi</i> T(88)		Mountain myrrh, oreomyrrhis	NT	M
<i>Chaerophyllum ramosum</i> C			NT	CE, M
<i>Chenopodium allanii</i> C			NT	ED
<i>Chenopodium triandrum</i> C		Pigweed	NT	CE
<i>Colobanthus muelleri</i> C			NT	CE
<i>Crassula colligata</i> ssp. <i>colligata</i> C		Kirk's crassula	NT	CE, FE
<i>Crassula kirkii</i> C			ARNU	CE, DS
<i>Crassula mataikona</i> C			ARNU	CE, FE, M
<i>Crassula moshata</i> C		Shore stonecrop	NT	CE, DW
<i>Crassula sieberiana</i> T			NT	CE, FE
<i>Dichondra brevifolia</i> F,M,T,W		Dichondra	NT	ED, LT, M
<i>Dichondra repens</i> C,F,M,T		Mercury bay weed	NT	ED, LT, FE, M
<i>Disphyma australe</i> ssp. <i>australe</i> C	Horokaka	Native ice plant	NT	ED
<i>Drosera auriculata</i> C,F,T		Sundew	NT	ED, LT, FE, M
<i>Drosera binata</i> C,F,T(35)		Forked or scented sundew	NT	DW, FS, M
<i>Drosera spatulata</i> T		Sundew	NT	FS, M
<i>Drosera stenopetala</i> T		Sundew	NT	M
<i>Dysphania pusilla</i> C		Small fathen	TNE	ED, LT, FE, M
<i>Elatine gratioloides</i> C			NT	DW, DS, RM
<i>Elatostema rugosum</i> F	Parataniwha	New Zealand begonia	NT	DW, DS, FS
<i>Epilobium alsinoides</i> C,T		Willowherb	NT	ED, LT, FE, M
<i>Epilobium atriplicifolium</i> T		Willowherb	NT	FE, M
<i>Epilobium bilardiereanum</i> C,F		Willowherb	NT	ED, DS, DW, LT, RM, FS, FE, M
<i>Epilobium brunnescens</i> ssp. <i>brunnescens</i> T		Creeping willowherb	NT	FE, M
<i>Epilobium chionanthum</i> C,F,T		Marsh willowherb	NT	DS, DW, RM, FS, M
<i>Epilobium cinereum</i> C,F		Willowherb	NT	DS, RM, M
<i>Epilobium cockayneanum</i> T		Willowherb	DD	M
<i>Epilobium insulare</i> C,F,T		Willowherb	NT	ED, DS, DW, LT, RM, FS, FE, M
<i>Epilobium komarovianum</i> C,F,T		Creeping willowherb	NT	CE, ED, DS, DW, LT, RM, FS, FE, M
<i>Epilobium microphyllum</i> C		Willowherb	NT	DS, RM, FS, M
<i>Epilobium nerteroides</i> T			NT	RM, FE
<i>Epilobium nummulariifolium</i> C,F,M,T		Creeping willowherb	NT	CE, DS, RM, FS, M
<i>Epilobium pallidiflorum</i> C,F,M		Swamp willowherb	NT	ED, DS, DW, LT, FS, FE, M
<i>Epilobium pedunculare</i> C,F,M,T,W		Long-stalked willowherb	NT	ED, DS, DW, LT, FS, FE, M
<i>Epilobium pernitens</i> C,T,W		Willowherb	NT	FE, M
<i>Epilobium pubens</i> T		Willowherb	NT	ED, LT, FE, M
<i>Epilobium rotundifolium</i> T		Round-leaved willowherb	NT	ED, LT, FE, M
<i>Eryngium vesiculosum</i> C		Sea holly, coastal eryngo	NT	CE

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Euphorbia glauca</i> C		Shore or sea spurge, sand milkweed	ARD	CE, FD, ED
<i>Euphrasia cuneata</i> T		North Island eyebright	NT	CE, LT, FE, M
<i>Euphrasia drucei</i> T(86)		Eyebright	ARNU	M
<i>Euphrasia monroi</i> T		Alpine eyebright	NT	M
<i>Euphrasia revoluta</i> T		Eyebright	NT	M
<i>Forstera tenella</i> T			NT	M
<i>Galium propinquum</i> C,F,M,T			NT	ED, DS, DW, LT, FS, FE, M
<i>Galium trilobum</i> C,F		Native bedstraw	NT	ED, DS, DW, LT, FS, FE, M
<i>Gentianella bellidifolia</i> T(112)		Common NZ gentian	NT	FE,M
<i>Gentianella grisebachii</i> T		Forest or common gentian	NT	M
<i>Gentianella montana</i> ssp. <i>ionostigma</i> T(81)			NT	M
<i>Gentianella patula</i> T		Gentian	NT	M
<i>Geranium microphyllum</i> C,F,T			ARNU	CE, FE
<i>Geranium potentilloides</i> F			NT	ED, DS, RM, LT, FE, M
<i>Geranium sessiliflorum</i> var. <i>arenarium</i> C,T		Short-flowered cranesbill	ARD	ED, CE, FE
<i>Geranium solanderi</i> W(110)		Solander's geranium	ARD	LT, FE
<i>Geum cockaynei</i> T		Cockayne's geum	NT	M
<i>Glossostigma elatinoides</i> F			NT	SE, DS, DW
<i>Gonocarpus incanus</i> T			NT	LT, M
<i>Gonocarpus micranthus</i> ssp. <i>micranthus</i> C,F,T			NT	DW, FS
<i>Gonocarpus montanus</i> C			NT	CE, FE
<i>Gratiola sexdentata</i> C,F		Gratiola	NT	DW, RM
<i>Gunnera arenaria</i> F			ARD	ED, DW, RM
<i>Gunnera dentata</i> F			NT	ED, DW, RM
<i>Gunnera monoica</i> T(69)			NT	RM, FS
<i>Gunnera prorepens</i> F			NT	ED, DW, RM
<i>Haloragis erecta</i> ssp. <i>erecta</i> C,F,T	Toatoa	Fireweed, shrubby haloragis	NT	CE, FM, FE, M
<i>Hydrocotyle elongata</i> C,F,T			NT	ED, DW, LT, FS, FM, FE, M
<i>Hydrocotyle heteromeria</i> C,F,M,T			NT	ED, LT, FM, FE
<i>Hydrocotyle hydrophila</i> C,F			NT	DW
<i>Hydrocotyle microphylla</i> F			NT	ED, DW, LT, FS
<i>Hydrocotyle moschata</i> var. <i>moschata</i> C,F,M,T,W		Hairy pennywort	NT	ED, LT, FM, FE, M
<i>Hydrocotyle moschata</i> var. <i>parvifolia</i> F,M,T,W		Hairy pennywort	NT	ED, LT, FM, FE, M
<i>Hydrocotyle novae-zelandiae</i> var. <i>novae-zelandiae</i> F,M,T			NT	ED, DW, LT
<i>Hydrocotyle novae-zelandiae</i> var. <i>montana</i> C			NT	CE, LT, FM, M
<i>Hydrocotyle pterocarpa</i> F			NT	DW
<i>Hypericum pusillum</i> C,F,M,T		Swamp hypericum	NT	DW, LT, FS, M
<i>Jovellana repens</i> T			NT	RM, LT, FE
<i>Kelleria dieffenbachii</i> T			NT	M
<i>Lepidium obtusatum</i> C			TNE	CE
<i>Lepidium olearaceum</i> C	Nau	Cook's scurvy grass	TNE	CE
<i>Lepidium tenuicaule</i> C		Shore cress	ARL	CE, DW
<i>Leptostigma setulosum</i> C,F,M,T			NT	DW, LT

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Lilaeopsis novae-zelandiae</i> C			NT	CE, RM, LT, FE, M
<i>Lilaeopsis ruthiana</i> T			NT	FS, M
<i>Limosella lineata</i> C,F			NT	DW, DS, RM, LT
<i>Linum monogynum</i> var. <i>monogynum</i> C	Rauhuia	New Zealand true flax, New Zealand linen flax	ARD	CE, ED, FE, M
<i>Lobelia anceps</i> C,F,T	Punakura	New Zealand lobelia, shore lobelia	NT	CE, DS, DW, RM, FS, M
<i>Lobelia angulata</i> F,T(3)		Pratia	NT	CE, DS, RM, LT, M
<i>Lobelia perpusilla</i> F			NT	ED, DW
<i>Mazus novaezealandiae</i> ssp. <i>impolitus</i> f. <i>impolitus</i> F,T		Dwarf musk, mat-leaved mazus	TNE	ED, DW
<i>Mazus novae zelandiae</i> ssp. <i>novae zelandiae</i> T		Dwarf musk	ARD	LT, FS, FM, FE
<i>Mazus pumilio</i> M,W		Mazus	NNV	LT, FM, FE
<i>Mentha cunninghamii</i> C	Hīoi	NZ mint	ARD	CE, ED, DS, RM, LT, FM, FE, M
<i>Montia calycina</i> T(87)		Blinks, Blinkswater chickweed, dwarf montia	NT	M
<i>Montia fontana</i> ssp. <i>fontana</i> C			TNV	DS, RM, FS, M
<i>Myosotis brevis</i> C			TNC	CE, FE, M
<i>Myosotis lytteltonensis</i> C		Lyttelton forget-me-not	CE, FE	
<i>Myosotis forsteri</i> C		Forster's forget-me-not	NT	CE, DS, RM, FS
<i>Myosurus minimus</i> ssp. <i>novae-zelandiae</i> C		New Zealand mousetail, bearded mousetail	TNV	ED, RM, M
<i>Myriophyllum pedunculatum</i> ssp. <i>novaezelandiae</i> F			NT	DW, FS, M
<i>Myriophyllum propinquum</i> C,F,T		Common water milfoil	NT	DW, FS, M
<i>Myriophyllum robustum</i> F		Stout water milfoil	ARD	DW
<i>Myriophyllum triphyllum</i> C,F		Water milfoil	NT	DW, FS, M
<i>Myriophyllum votschii</i> C,F			NT	CE, RM, FS
<i>Nertera ciliata</i> F,M,T			NT	ED, LT, FE, M
<i>Nertera depressa</i> C,F,M,T		Bead plant, fruiting duckweed	NT	CE, DW, RM, LT, FS, FE, M
<i>Nertera dichondrifolia</i> T			NT	CE, LT, FE, M
<i>Nertera scapanioides</i> F,T(25)			NT	ED, DW, M
<i>Nertera villosa</i> T			NT	ED, CE, LT, FE, M
<i>Ourisia caespitosa</i> T		Hairy Forest nertera	NT	M
<i>Ourisia macrocarpa</i> T		Creeping Mountain fox glove	NT	M
<i>Ourisia macrophylla</i> ssp. <i>macrophylla</i> T(99)		Snowy Mountain foxglove, mountain ourisia	NT	M
<i>Oxalis exilis</i> C,F,M,T,W		Mountain foxglove	NT	M
<i>Oxalis magellanica</i> C,T		Creeping oxalis, yellow oxalis	NT	CE, DS, DW, LT, FM, M
<i>Oxalis rubens</i> C,F,T		White oxalis	NT	CE, ED, RM, LT, FE, M
<i>Oxybasis glauca</i> ssp. <i>ambigua</i> C,F		Dune oxalis	NT	ED
<i>Parietaria debilis</i> C,F,M,T,W	Panapana	Amaranthaceae	ARD	SE, DW
<i>Pelargonium inodorum</i> F	Kopata	New Zealand pellitory	NT	ED, DW, LT, FE
<i>Peperomia urvilleana</i> C,T		Peperomia	NT	CE, ED, LT, M
<i>Persicaria decipiens</i> C,F,M,T			NT	CE, LT
<i>Phyllachne clavigera</i> T			NT	DS, DW, RM, FS, M
<i>Phyllachne colensoi</i> T			NT	FS, M
<i>Plantago lanigera</i> T			NT	M
<i>Plantago novae-zelandiae</i> T			NT	M
<i>Plantago raoulii</i> C,F,M, T			NT	CE, LT, FE

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

Latin name	Māori name	Common name	Status	Habitat
<i>Plantago spathulata</i> F		Papa plantain	NT	ED, LT
<i>Plantago triandra</i> T		Glossy plantain, starweed	NT	M
<i>Plantago unibracteata</i> T			NT	FE, M
<i>Polygonum plebeium</i> F		Small knotweed	ARD	DS, DW, RM, FS, M
<i>Potentilla anserinoides</i> C,F		Silverweed	NT	DW, LT, FS, FE, M
<i>Ranunculus acaulis</i> C,F		Sand or shore buttercup	NT	CE, DS, RM
<i>Ranunculus amphitrichus</i> F,T	Waoriki		NT	DS, DW, RM, FS, M
<i>Ranunculus glabrifolius</i> F			NT	DS, DW, RM, FS, M
<i>Ranunculus insignis</i> T(89)	Korikori	Hairy alpine buttercup, hairy mountain buttercup	NT	M
<i>Ranunculus macropus</i> C,F		Swamp buttercup	DD	DW, FS, M
<i>Ranunculus membranifolius</i> F,T			NT	ED, LT, FE, M
<i>Ranunculus recens</i> F			TNV	ED, DW, FS, M
<i>Ranunculus reflexus</i> C,F,M,T,W	Maru	Hairy buttercup	NT	ED, LT, FE, M
<i>Ranunculus ternatifolius</i> T			TNV	FS, M
<i>Ranunculus verticillatus</i> T			NT	M
<i>Rorippa palustris</i> C,F	Poniu	Marsh yellow cress	NT	DS, DW, RM, FS, M
<i>Rumex flexuosus</i> C	Runa	Māori dock, NZ dock	NT	ED, LT, FE, M
<i>Rumex neglectus</i> C		Shore dock	NT	CE, FD
<i>Samolus repens</i> var. <i>repens</i> C,F		Sea primrose, shore pimpernel	NT	ED
<i>Sarcocornia quinqueflora</i> var. <i>quinqueflora</i> C,F		Glasswort	NT	CE, FD
<i>Scandia geniculata</i> C		Scandia	NT	CE, FE, M
<i>Scleranthus biflorus</i> C		Canberra grass	NT	CE
<i>Sebaea ovata</i> F		Sebaea	TNC	DW, DS
<i>Selliera radicans</i> F	Remuremu	Selliera	NT	CE, FD
<i>Solanum americanum</i> F,M,T		Small flowered nightshade	NT	ED, LT
<i>Stellaria decipiens</i> var. <i>decipiens</i> C,F,M,T,W		New Zealand chickweed	ARNU	ED, LT, FE, M
<i>Stellaria parviflora</i> C,F,T		Native musk, Native monkey flower	ARNU	ED, LT, FE, M
<i>Thyridia repens</i> C,F		Tree nettle	NT	SE, RM
<i>Urtica ferox</i> C,T	Ongaonga	Swamp nettle	ARD	CE, ED, LT, FM, FE, M
<i>Urtica perconfusa</i> C,F		Scrub nettle	NT	DW, FS
<i>Urtica sykesii</i> C,F,T	Ongaonga	Yellow Bladderwort	TNC	CE, ED, LT, FM, FE, M
<i>Utricularia australis</i> F		Bladderwort	NT	DW, FS
<i>Utricularia dichotoma</i> ssp. <i>novae-zelandiae</i> T		Parahebe	NT	DW, FS, M
<i>Veronica lanceolata</i> T(85)		Mountain or white violet	NT	RM, LT, M
<i>Viola cunninghamii</i> C,F,T		Forest violet	NT	ED, LT, FS, FE, M
<i>Viola filicaulis</i> T		NZ native violet	NT	ED, FS, RM, FE
<i>Viola lyallii</i> F		Coastal harebell	NT	ED, LT, FS, FE, M
<i>Wahlenbergia ramosa</i> C		White harebell	NT	CE
<i>Wahlenbergia rupestris</i> F,M,T		Coastal harebell, glossy harebell	NT	CE, ED, LT, FE, M
<i>Wahlenbergia vernicosa</i> C		Violet harebell	NT	CE
<i>Wahlenbergia violacea</i> F,M,T			NT	ED, LT, FE

C=Cook Strait F=Foxton M=Manawatu Plains T=Tararua W=Wellington / E=Extinct DD=Data Deficient TNC=Threatened Nationally Critical TNE=Threatened Nationally Endangered TNV=Threatened Nationally Vulnerable ARD=At Risk Declining ARR=At Risk Recovering ARL=At Risk Relict ARNU=At risk naturally uncommon NNV=Non-native Vagrant NNC=Non-native Coloniser NT=Not Threatened IN=Introduced and Naturalised /SE=Saline Estuary CE=Coastal Escarpment FD=Fore Dune ED=Established Dune DS=Dune-land Stream DW=Dune-land Wetland RM=Riparian Margin LT=Lowland Terrace FS=Forest Seepage/Wetland FM=Forest Margin FE=Foothills, Escarpment M=Montane

MOST RECENT SYNONYMS

Apium australe See *Apium prostratum* ssp. *prostratum* var. *filiforme*
Apium prostratum ssp. See *Apium prostratum* ssp. *prostratum* var. *filiforme*
Apium australe See *Apium prostratum* ssp. *prostratum* var. *filiforme*
Chenopodium ambiguum See *Oxybasis glauca* ssp. *ambigua*
Chenopodium pusillum See *Dysphania pusilla*
Crassula tetrameria See *Crassula colligata* ssp. *colligata*
Drosera peltata ssp. *auriculata* See *Drosera auriculata*
Einadia allanii See *Chenopodium allanii*
Einadia triandra See *Chenopodium triandrum*
Epilobium linnaeoides See *Epilobium pedunculare*
Galium tenuicaule See *Galium trilobum*
Gentiana matthewsii See *Gentianella grisebachii*
Gentiana patula See *Gentianella patula*
Goodenia radicans See *Selliera radicans*
Haloragis incana See *Gonocarpus incanus*
Haloragis micrantha See *Gonocarpus micranthus* ssp. *micranthus*
Hydrocotyle americana See *Hydrocotyle heteromeria*
Hydrocotyle moschata See *Hydrocotyle moschata* var. *moschata* or *Hydrocotyle moschata* var. *parvifolia*
Hypericum japonicum See *Hypericum pusillum*
Leptostigma setulosa See *Leptostigma setulosum*
Mimulus repens See *Thyridia repens*
Myosotis australis var. *lytteltonensis* See *Myosotis lytteltonensis*
Myosotis pygmaea var. *minutiflora* See *Myosotis brevis*
Nertera setulosa See *Leptostigma setulosa*
Oreomyrrhis ramosa aff. See *Chaerophyllum ramosum*
Oxalis lacteal See *Oxalis magellanica*
Parahelle lanceolata See *Veronica lanceolata*
Plantago uniflora See *Plantago unibracteata*
Polygonum decipiens See *Persicaria decipiens*
Polygonum salicifolium agg. See *Persicaria decipiens*
Pratia angulata See *Lobelia angulata*
Pratia perpusilla See *Lobelia perpusilla*
Psychrophila novae-zelandiae See *Caltha novae-zelandiae*
Ranunculus hirtus See *Ranunculus membranifolus*
Ranunculus rivularis See *Ranunculus amphitrichus* or *Ranunculus glabrifolius*
Schizeilema nitens See *Azorella nitens*
Schizeilema trifoliolatum See *Azorella hookerii*
Solanum nodiflorum See *Solanum americanum*
Stellaria decipiens See *Stellaria decipiens* var. *decipiens*
Urtica incisa See *Urtica sykesii*
Urtica linariifolia See *Urtica perconfusa*
Wahlenbergia colensoi See *Wahlenbergia littoricola* ssp. *vernicosa*; *Wahlenbergia ramosa*; *Wahlenbergia rupestris*
Wahlenbergia gracilis See *Wahlenbergia ramosa*; *Wahlenbergia rupestris*; *Wahlenbergia violacea*
Wahlenbergia littoricola ssp. *vernicosa* See *Wahlenbergia vernicosa*
Wahlenbergia marginata See *Wahlenbergia violacea*

Reference List

- Allan, H. H. (1961). *Flora of New Zealand. Volume I. Flora of New Zealand. Volume I.* P.D. Hasselberg Government Printer, Wellington, New Zealand reprinted 1982. Hardback pages 1085. ISBN 0-477-01056-3
- Armstrong, T. T., & De Lange, P. J. (2005). Conservation genetics of Hebe speciosa (Plantaginaceae) an endangered New Zealand shrub. *Botanical Journal of the Linnean Society*, 149(2), 229-239.
- Birch, J.L. (2015). A revision of infrageneric classification in Astelia Banks & Sol. ex R. Br.(Asteliaceae). *PhytoKeys*, (52), 105.
- Brownsey, P.J. & Perrie, L.R. (2016) Hymenophyllaceae. In: Breitwieser, I.; Heenan, P.B.; Wilton, A.D. Flora of New Zealand - Ferns and Lycophytes. Fascicle 15. Manaaki Whenua Press, Lincoln.
- Crayn, D.M.; Hislop, M.; Puente-Lelièvre, C. (2020). A phylogenetic recircumscription of Styphelia (Ericaceae, Epacridoideae, Styphelieae). *Australian Systematic Botany* 33(2): 137–168.
- de Lange, P.J.; Glenny, D.; Frogley, K.; Renner, M.A.M.; von Konrat, M.; Engel, J.J.; Reeb, C.; Rolfe, J.R. (2020). Conservation status of New Zealand hornworts and liverworts, 2020. *New Zealand Threat Classification Series* 31. Department of Conservation, Wellington. 30 p.
- de Lange, P.J., Rolfe, J.R., Barkla, J.W., Courtney, S.P., Champion, P.D., Perrie, L.R., Beadel, S.M., Ford, K.A., Breitwieser, I., Schönberger, I., Hindmarsh-Walls, R., Heenan P.B., Ladley, K. (2018) *Conservation status of New Zealand indigenous vascular plants, 2017* (p. 86). Publishing Team, Department of Conversation.
- de Lange, P.J., Rolfe, J. R., Champion, P. D., Courtney, S., Heenan, P. B., Barkla, J. W., ... & Hitchmough, R. (2013). *Conservation status of New Zealand indigenous vascular plants, 2012* (p. 70). Publishing Team, Department of Conversation.
- de Lange, P.J., Sawyer, J. W. D., & Rolfe, J. R. (2006). *New Zealand indigenous vascular plant checklist* (p. 94). Wellington: New Zealand Plant Conservation Network.
- de Lange, P.J., Norton, D. A., Heenan, P. B., Courtney, S. P., Molloy, B. P. J., Ogle, C. C., Hitchmough, R. (2004). Threatened and uncommon plants of New Zealand. *New Zealand Journal of Botany*, 42(1), 45-76.
- de Lange, P.J., Heenan, P. B., Given, D. R., Norton, D. A., Ogle, C. C., Johnson, P. N., & Cameron, E. K. (1999). Threatened and uncommon plants of New Zealand. *New Zealand Journal of Botany*, 37(4), 603-628.
- Duguid, F.C. (1990) Botany of northern Horowhenua lowlands, North Island, New Zealand. *New Zealand Journal of Botany*, 1990, Volume 28: pages 381-437. © Crown copyright 1990.
- Fife, A. J., Glenny, D., Beever, J. E., Braggins, J. E., Brownsey, P. J., Renner, M. A., & Hitchmough, R. (2010). New Zealand's threatened bryophytes: Conservation efforts. *Phytotaxa*, 9(1), 275-278.
- Garnock-Jones, P., Albach, D., & Briggs, B.G. (2007). Botanical names in southern hemisphere Veronica (Plantaginaceae): sect. Detzneria, sect. Hebe, and sect. Labiatoides. *Taxon*, 56(2), 571-582.
- Gasper, A.L.; de Oliveira Dittrich, V.A.; Smith A.R.; Salino, A. (2016) A classification for Blechnaceae (Polypodiales: Polypodiopsida): New genera, resurrected names, and combinations. *Phytotaxa* 275: 191–227.
- Grosse-Veldmann, B., Conn, B. J., & Weigend, M. (2016). Weeding the nettles IV: A redefinition of Urtica incisa and allies in New Zealand and Australia, including the segregation of two new species Urtica sykesii and U. perconfusa. *Phytotaxa*, 245(4), 251-261.

- Hassler, M.** (2019). Checklist of Ferns and Lycophytes of the World in the Catalogue of Life.
- Heenan, P. B.** (2017). A taxonomic revision of Cardamine L.(Brassicaceae) in New Zealand. *Phytotaxa*, 330(1), 1-154.
- Holzmeyer, L.; Hauenschild, F.; Mabberley, D.J.; Muellner-Riehl, A.N.** (2021). Confirmed polyphyly, generic recircumscription and typification of Dysoxylum (Meliaceae), with revised disposition of currently accepted species. *Taxon* 70(6): 1161-1419.
- Jobson, R.W.; Baleiro, P.C.** (2020). Radiations of fairy-aprons (Utricularia dichotoma, Lentibulariaceae) in Australia and New Zealand: molecular evidence and proposal of new subspecies. *Australian Systematic Botany* 33: 278–310.
- Labiak, P.H.; Sundue, M.; Rouhan, G.; Moran, R.C.** (2015). New combinations in Lastreopsis and Parapolystichum (Dryopteridaceae). *Brittonia* 67(1), 79–86.
- Large, M.F.; Mabberley, D.J.; Wood, E.** (2020). Coprosma autumnalis (kanono; Rubiaceae) in New Zealand: nomenclature, iconography and phenology, *Kew Bulletin* 75: 37-43.
- Leach H, Stowe C.** (2005). Oceanic arboriculture at the margins – the case of the karaka (*Corynocarpus laevigatus*) in Aotearoa. *Journal of Polynesian Society*. 114(1):7–27.
- Lehnebach, C.A., Rolfe, J. R., Gibbins, J., & Ritchie, P.** (2016a). Two new species of Gastrodia (Gastrodzieae, Orchidaceae) endemic to New Zealand. *Phytotaxa*, 277(3), 237-254.
- Lehnebach, C.A., Zeller, A. J., Frericks, J., & Ritchie, P.** (2016b). Five new species of Corybas (Diurideae, Orchidaceae) endemic to New Zealand and phylogeny of the Nematoceras clade. *Phytotaxa*, 270(1), 1-24.
- Lehnebach, C.A.** (2016c). New combinations and a replacement name for three New Zealand spider orchids (Corybas). *The New Zealand Native Orchid Journal* 139: 4–5.
- Mark, A.F.** (2012). *Above the treeline: A nature guide to alpine New Zealand*. Craig Potton Publishing, 2012. Paperback, 472 pages. ISBN 978-1-877517-76-1
- Pace, M.C.; Giraldo, G.; Frericks, J.; Lehnebach, C.A.; Cameron, K.M.** (2019). Illuminating the systematics of the *Spiranthes sinensis* species complex (Orchidaceae): ecological speciation with little morphological differentiation. *Botanical Journal of the Linnean Society* 189: 36–62.
- Page, C.N.,** (2019). New and maintained genera in the taxonomic alliance of Prumnopitys s.l (Podocarpaceae), and circumscription of a new genus: Pectinopitys. *New Zealand Journal of Botany* 57(3): 137–153.
- Peterson, P.M.; Soreng, R.J.; Romaschenko, K.; Barberá, P.; Quintanar, A.; Aedo, C.; Saarela, J.M.** (2022). Phylogeny and biogeography of Calamagrostis (Poaceae: Pooideae: Agrostidinae), description of a new genus, Condilochchia (Calothecinae), and expansion of Greeneochloa and Pentapogon (Echinopogoninae). *Journal of Systematics and Evolution* 00(00): 1–21 (online).
- Pillon, Y.; Hopkins, H.C.F.; Maurin, O.; Epitawalage, N.; Bradford, J.; Rogers, Z.S.; Baker, W.J.; Forest, F.** (2021). Phylogenomics and biogeography of Cunoniaceae (Oxalidales) with complete generic sampling and taxonomic realignments. *American Journal of Botany* 108(7): 1–20.
- PPG I.** (2016). A community-derived classification for extant lycophytes and ferns. *Journal of Systematics and Evolution*, 54(6), 563-603.
- Rolfe, J.R.; Fife, A.J.; Beever, J.E.; Patrick J. Brownsey, P.J.; Hitchmough, R.A.** (2016). Conservation status of New Zealand mosses, 2014. *New Zealand Threat Classification Series* 13. Department of Conservation, Wellington. 12 p
- Saldivia, P.; Wagstaff, S.J.; Breitwieser, I.; Orlovich, D.A.; Lord, J.M.** (2022). A Generic Taxonomic Synopsis of the Pleurophyllum Clade (Asteraceae: Astereae: Celmisiinae) with the Recognition of the New Zealand Endemic New Genus Macrolearia. *Systematic Botany* 47: 607–634.
- Sawyer, J.** (2001) Bibliography of plant checklists and vegetation survey data for Wellington Conservancy (excluding Chatham Islands) 2nd Edition, June 2001.

Shepherd, L. D., Bulgarella, M., & de Lange, P. J. (2018). Genetic structuring of the coastal herb *Arthropodium cirratum* (Asparagaceae) is shaped by low gene flow, hybridization and prehistoric translocation. *Plos one*, 13(10).

Shepherd, L. D., Frericks, J., Biggs, P. J., & de Lange, P. J. (2019). Phylogeography of the endemic New Zealand tree *Entelea arborescens* (whau; Malvaceae). *New Zealand Journal of Botany*, 57(3), 154-168.

Testo WL, Field AR, Sessa EB, Sundue M. (2019). Phylogenetic and morphological analyses support the resurrection of *Dendroconche* and the recognition of two new genera in Polypodiaceae Subfamily Microsoroideae. *Systematic Botany* 44(4): 1–16.

Townsend, A.J., de Lange, P.J., Norton, D.A., Molloy, J., Miskelly, C., & Duffy, C. (2008). The New Zealand Threat Classification System Manual.,(Department of Conservation: Wellington, New Zealand).

Villaverde, T., & GLOBAL CAREX GROUP. (2015). Making Carex monophyletic (Cyperaceae, tribe Cariceae): a new broader circumscription. *Botanical Journal of the Linnean Society*, 179(1), 1–42.

COOK STRAIGHT ECOLOGICAL DISTRICT

de Lange, P.J.D. (1993) Specimen record *Rytidosperma petrosum*, CHR 497570 - Kapiti Island, rocks c.300m north of Rangatira 6/7/1993.

133 de Lange, P.J.D. (2017) InaturalistNZ observation, *Trachyloma diversinerve*, Kapiti Island. <https://inaturalist.nz/observations/6003481> Observed 11th April 2017. Found online February 2024.

138 de Lange, P.J.D. (2017) InaturalistNZ observation, *Marchantia berteroana*, Kapiti Island. <https://inaturalist.nz/observations/6002005> Observed 11th April 2017. Found online February 2024.

141 de Lange, P.J.D. (2017) InaturalistNZ observation, *Pseudognaphalium lanatum*, Kapiti Island. <https://inaturalist.nz/observations/6042546> Observed 13th April 2017. Found online March 2024.

142 de Lange, P.J.D. (2017) InaturalistNZ observation, *Senecio esler*, Kapiti Island. <https://inaturalist.nz/observations/5903746> Observed 15th April 2017. Found online March 2024.

Druce, A.P. (1976) Plant Checklist for South Wellington Coast and adjacent hills from Paekākāriki to Te Kaukau Pt. Prepared by Tony Druce. Druce list number: 118. Gridref.: N164, 468, 035. Compiled July 1976, (revised August 1976, May 1977, November 1977, June 1979, July 1980, September 1980, November 1980, March 1982, July 1985, October 1985, June 1986, October 1987, November 1988, September 1990, September 1991, July 1992).

129 Hansen, M. (2022) InaturalistNZ observation, *Lopidium concinnum*. <https://inaturalist.nz/observations/139844707> Observed 24th October 2022. Found online in February 2024.

Ogle, C.G. (1974) Plant Checklist for Pukerua Bay Recreation Reserve (including "Fault Gorge") and other hills and coast immediately west of Pukerua Bay residential area. List compiled 5th May, 1974. (Only the cliff section of list was used as it is congruent to the Paekākāriki Escarpment)

18 Ward, M.D. (2010) Personal Observation, *Tetragonia implexicoma* abundant on the slopes of the Paekākāriki Escarpment growing in places over various other floral species or on otherwise bare substrate. Observed 18th October 2010.

44 Ward, M.D. (2012) Personal Observation, *Pimelea prostrata* s.l. several specimens growing on the Paekākāriki Escarpment just on the border of the Kāpiti District. A specimen has been collected and attempted to be classified by Peter de Lange of D.O.C. Auckland, the specimen has been recorded and collected at the Auckland Museum Herbarium as AK 330465 for future diagnosis. Observed 7th March 2012.

Wassilieff, M. (2010) Vegetation of the Paekākāriki – Pukerua escarpment eco-forest – Report for Nga Uruora. Compiled May 2010.

FOXTON ECOLOGICAL DISTRICT

Anderton, J.; Beveridge, P.; Enright, P.; Horne, C.; John, O.; Mitcalfe, B.; Nelson, W.; Sherratt, D.; (2000) Plant checklist for plants of part of Te Hapua wetland, on the properties of J. Anderton and J. Abagail, 234 Te Hapua Rd, and B. Burgess and A. Stark, 226 Te Hapua Rd, Pekapeka, centred on map NZMS R26 Paraparaumu Gridref. 853413. List compiled 2nd April, 2000, on a 4 hour visit.

Beveridge, P.; Enright, P.; Horne, C.; John, O.; Mitcalfe, B.; Sherratt, D.; (2000) Vascular Plants and Mosses on the Properties at 226 and 234 Te Hapua Road. Gridref. S25 850411 5km North of Waikanae. Revised 2nd June, 2001.

Blaschke, P.; McCahon, S.; King, A. (2001) Waikanae Park – Remnant Native Vegetation Survey, report for Kāpiti Coast District Council. Boffa Miskell Ltd. List compiled May 2001.

98 Burrows, A. (2024) InaturalistNZ observation, *Riccia fluitans*, stream in Otaki. <https://inaturalist.nz/observations/952825> Observed 18th February 2013. Found online in January 2024.

Carnahan, J.A. (1957) Botany of the Manawatū sand country. Proceedings of the New Zealand Ecological Society, Volume 5 pages 17-18.

Department of Conservation (1967) *Leptinella maniototo*, Waikanae Estuary. New Zealand Plant Conservation Network Plant distribution data. Accessed November 26th, 2018.

Department of Conservation (1991) *Myriophyllum robustum*, Kāpiti Coast, Paekakariki. New Zealand Plant Conservation Network Plant distribution data. Accessed November 26th, 2018.

Department of Conservation (1991) *Utricularia australis* Waikanae Estuary, Paraparaumu near Otaihanga New Zealand Plant Conservation Network Plant distribution data. Accessed November 26th 2018.

Druce, A.P. (1993) Indigenous Vascular Plants near the Coast West of Levin, from near Hokio to the Mouth of the Ohau River. Gridref. N152,690,010. Based on visit 1964, 1965, 1967; revised July 1974, July 1975, September 1982, June 1983, December 1990, August 1991, September 1991, July 1992, June 1993.

Enright, P. (2000) Plant Checklist for Fenced Bush Area Queen Elizabeth Park, including lists from C.C. Ogle (1st March 1981 & November 1987); C. Horne, J. Humble, P. & D. Lyn, P. Enright (30th September 2000); P. Enright. Gridref. R26 & R27 761245. List compiled 7th, October 2000.

Enright, P.; Park, T.; John, O. (2002) Vascular plants in bush and swamp area on the Bristed Block, Waikanae, Pat Enright, Tim Park 7/4/02 (3hrs) Around the bush and swamp edges with incursions into the swamp area where waters levels were low enough. Pat Enright, Olaf John 21/4/02 (3hrs) Area of bush and swampy ground near the Nga Manu boundary. Topo50 BP32 736742 Alt 20m a.s.l.

Enright, P. & Hopkins, C. (2015) List of Vascular Plants in the vicinity of the Waikanae Estuary including the Waikanae Scientific Reserve - Topo 50 Map Ref. BP32 084727 List Compiled - Pat Enright, Chris Hopkins 21/2/15 (4hrs) Manly Street entrance around the tracks to the river and along part of river bank. A short venture into the wetland at the first bridge on the track off Manly St. Pat Enright 25/2/15 (3½hrs) Survey of the inlet accessed from the end of Manly St. Pat Enright, Chris Hopkins 28/2/15 (7hrs) Otaihanga boat ramp back to the reserve and then around the tidal inlet.

Esler, A.E. & Greenwood, R.M. (1968) Plant Checklist for Omarupapaku (Round Bush), Foxton. Wellington Botanical Society Bulletin, Volume 35, Pages 3-7, December 1968.

106 Littek, A. (2020) InaturalistNZ observation, *Campylopus clavatus*. <https://inaturalist.nz/observations/58581231> Observed 5th September 2020. Found online in January 2024.

Mitcalfe, B.J. & Horne, J.C. (2006) Some Indigenous Plants of "Nga Manu" KCDC Reserve and Key Native Ecosystem, between no's 12 & 24 Manu Grove, Waikanae centred on NZMS 260 Map R26 Paraparaumu, Gridref. 838358. List compiled 26th, January 2006.

Mitcalfe, B.J. & Horne, J.C. (2005) Vegetation mapping, Kāpiti Coast Estuaries – Supplementary Notes. List compiled April 13th & 14th, 2005.

Mitcalfe, B.J. & Horne, J.C. (2000) Plant checklist for some indigenous vascular plants of KCDC Motuiti Reserve, a key native ecosystem, Iti grove, Waikanae, NZMS 260 map R26 Paraparaumu, centred on Gridref. 837347. List compiled 20th October, 2000 during a 1 hour reconnaissance; revised on 4th November, 2000 by Wellington Botanical Society during a 1 hour visit.

Mitcalfe, B.J. & Horne, J.C. (2000) Plant checklist for plants of Russell Reserve, a KCDC key native ecosystem, Ngaio Rd, Waikanae, centred on NZMS 260 map R26 Paraparaumu, Gridref. 830347. List compiled 21st October, 2000 during a 2 hour reconnaissance; revised on 4th November, 2000 by Wellington Botanical Society during a 2-hour visit.

Mitcalfe, B.J. & Horne, J.C. (2000) Some Indigenous Plants of Wi Parata, A KCDC Reserve, and Key Native Ecosystem, Between 29A and 33 Kanawa St, Waikanae, Map NZMS 260 Sheet R26, Paraparaumu, centred on Gridref. 836351. Compiled 21st October, 2000 during a 1.5 Hour reconnaissance.

Moss, T. (1989) Plant Checklist for Plants of the wetlands, Queen Elizabeth Park. List compiled April 12th, 1989

Ogle, C. (1996) Plant Checklist for Three forest Ares on Dunes: Pakipaki, near Hokio, Levin, Horowhenua District. In "Sand movement and the protection of natural areas on Pouto Peninsula, Northland". Appendix 2 (pp. 18-24). Conservancy Advisory Science notes No. 145 Prepared by C.C. Ogle 1996. Pakipaki Remnant botanised by Druce 1972(1991 revision); Cooksley & Townsend 1992; Rapson et al. 1992. [Only species noted in the Pakipaki Remnant were used for this document].

Ogle, C. (1989) Plant Checklist for Old Lion Safari Park, Otaihanga, Waikanae River. List Compiled January 18th, 1989.

Ogle, C. (1981) Plant Checklist for Objections to the 1980 draft Management plan for Queen Elizabeth Park, Paekākāriki. List compiled March 30th, 1981.

Ogle, C. (1981) Plant Checklist for Wetlands in Queen Elizabeth Park lying between NIMT Railway, Mackays Road and fenced remnant of coastal forest. List compiled March 1st, 1981.

Ogle, C. (1979) Plant Checklist for Pekapeka – swamp and ponds south side of Pekapeka Road. Gridref. 2603 1764. List compiled 6th May, 1979, updated September 23rd, 1979.

Ogle, C. (1974) Plant Checklist for Waikanae Estuary – south bank as far up stream as Otaihanga. List compiled June 22nd, 1974.

Ogle, C. & Singers, N. (2001) List of Vascular Plants for Tangimoana Dunes, just south of the Rangitikei River Mouth. NZMS 260 S24 993E, 977N. List started 1999, last amended January 29th, 2001.

94 Park, T. (2014) InaturalistNZ observation, *Ricciocarpos natans*, Te Hapua wetland complex. <https://inaturalist.nz/observations/988317> Observed 3rd March 2014. Found online in January 2024.

77 Perrie, L. (2015) InaturalistNZ observation, *Isachne globosa*, near forest lakes. <https://inaturalist.nz/observations/1365814> Observed 3rd April 2015. Found online in January 2024.

118 Perrie, L. (2021) InaturalistNZ observation, *Campylopus introflexus*, Queen Elizabeth Park. <https://inaturalist.nz/observations/1365814> Observed 6th March 2021. Found online in February 2024.

Ravine, D. (Havell, D. & Ogle, C.) (1989) Wanganui Plant List No. 143 – Vascular Plants of the Manawatu Estuary & Fern bird Flats. Gridref. NZMS 260 S24 005 774, Manawatu South Gridref. NZMS260 s24 995 785. List compiled by Don Ravine 27th January 1989 (with additions by David Havell and Colin Ogle).

Rolfe, J. (1989) Plant Checklist for Kahikatea Pukatea Semi-Swamp forest adjoining Ōtaki Domain. List compiled March 10th, 1989.

93 Saville, N. (2015) InaturalistNZ observation, *Polystichum vestitum*, Queen Elizabeth Park, Paekakariki. <https://inaturalist.nz/observations/2319381> Observed 25th September 2015. Found online in January 2024.

Turner, J. & Hamill, K. (2009) Takamore and Waikanae Christian Holiday Park Wetlands – Ecological characteristics and considerations for restoration and enhancement. Opus International Consultants Limited – Environmental, Opus House, Princess Street, Private bag 3057, Waikato Mail Centre, Hamilton 3240, New Zealand. © Opus International Consultants Limited 2009. List compiled May 2009.

72 Ward, M.D. (2009) Personal Observation *Cardamine heleniae*, Muaupoko Swamp area in the waste area near the train tracks. Observed 12th November 2009.

5 Ward, M.D. (2010) Personal Observation, *Nertera scapanioides* in the area known as the Raumati peat-lands directly east of the planned route of the motorway, amongst bracken, gorse and blackberry. Observed 5th March 2010.

11 Ward, M.D. (2010) Personal Observation, *Lindsaea linearis* growing in the undergrowth of the largest part of the remnant collection known as Haruatai Park. Observed 28th June 2010.

12 Ward, M.D. (2010) Personal Observation, *Grammitis billardierei* growing happily among all three of the remnant bush blocks in the Haruatai Park area. Observed 7th July 2010.

27 Ward, M.D. (2011) Personal Observation, *Isolepis distigmatosa* maybe have missed on many botanical lists primarily due to its size, this species has been seen in other local ecological districts and will be added to them in the future when spotted again. Observed 28th January 2011.

28 Ward, M.D. (2011) Personal Observation, *Pterostylis trullifolia* in the area known as the Jack's Bush, a single flowering specimen of *Pterostylis trullifolium* accompanied by many not as yet flowering specimens, was spotted in the undergrowth below the regenerating scrub in the peaty area in the Southwest of Reserve. Observed 14th June 2011.

29 Ward, M.D. (2011) Personal Observation, *Lastreopsis velutina* growing in several locations on the established banks at the western side of the oxbow. Observed 8th July 2011.

40 Ward, M.D. (2011) Personal Observation, *Theelymitra pauciflora*, several specimens located in the Manuka wetland complex at the Takamore Wetland area. Observed 22nd December 2011.

107 Ward, M.D. (2011) Personal Observation *Palhinhaea cernua*, Waikanae manuka remnant next to Expressway. Observed 27th July 2011.

46 Ward, M.D. (2012) Personal Observation, *Caladenia chlorostyla* several specimens finally caught in the act of flowering so that they could be positively identified. Observed 7th December 2012.

55 Ward, M.D. (2015) Personal Observation, *Cotula australis*, nestled beside an area I have just planted at Campbell Park, Paekākāriki. Observed 22nd July 2015.

66 Ward, M.D. (2018) Personal Observation, *Veronica elliptica*, growing in the sedge and rush land area of the Waikanae Estuary are South-side, Otaihanga. Observed 12th March 2018.

70 Ward, M.D. (2019) Personal Observation *Muehlenbeckia complexa* var. *grandifolia*, Pekapeka dunes area, Observation confirmed January 2019.

71 Ward, M.D. (2022) Personal Observation *Hypolepis dicksonioides*, Waikanae Park wetland area within fenced and gated area. Observed 1st February 2022.

79 Ward, M.D. (2023) Personal Observation *Bulboschoenus medianus*, Paraparaumu beach beside stream near DOC boat ramp. Observed 18th April 2023.

Wassilieff, M.C. & Clark, D.J. (1986) Plant Checklist for Himitangi Bush Scenic Reserve, Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Gridref. N 148 885 256. List compiled November 1983.

Wassilieff, M.C. & Clark, D.J. (1986) Plant Checklist for Papaitonga Scenic Reserve. Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Gridref. N 152 745 000 List compiled October – November 1983.

Wassilieff, M.C. & Clark, D.J. (1986) Plant Checklist for Round Bush Scenic Reserve, Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Gridref. N 148 800 248. List compiled August 1984.

Wassilieff, M.C. & Clark, D.J. (1986) Plant Checklist for Waikanae Estuary Scientific Reserve (proposed). Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Gridref. N 156/157 540720. List compiled in September 1983.

Workers Education Association (1989) Plant Checklist for Nga Manu Bird Sanctuary. List compiled in 1989.

MANAWATU PLAINS ECOLOGICAL DISTRICT

130 Bellbutler, P. (2022) InaturalistNZ Observation, *Lopidium concinnum*. <https://inaturalist.nz/observations/137706418> Observed 1st October 2022. Found online in February 2024.

134 Bellbutler, P. (2022) InaturalistNZ Observation, *Trachyloma diversinerve*. <https://inaturalist.nz/observations/134677683> Observed 10th September 2022. Found online in February 2024.

Beveridge, P.; Druce, A.P.; Enright, P.; John, O.; Wassilieff, M.C. (1978 – 2000) Plant List for Waikanae Scenic Reserve, Centred on Gridref. Topomap R26 & Pt R25 858375. Based on lists compiled by A.P. Druce (1978) and M.C. Wassilieff (1984). Updated by Peter Beveridge, Olaf John, Pat Enright 7th October 2000 (3hrs)

Department of Conservation (1966) *Caladenia minor*, Horowhenua Otaki Plain. New Zealand Plant Conservation Network Plant distribution data. Accessed November 20th 2018

Druce, A.P. (1978 - 1992) Indigenous Vascular Plants of Waikanae Scientific Reserve, Gridref. N156/157 620750 Alt. 100-300ft/30-90m (based on visit August 1978) revised June 1979, May 1980, October 1983, August 1990, November 1992.

Druce, A.P. (1960 – 1990) Vascular Plants in, and surrounding, secondary Totara – Matai Forest on the Ōtaki Plain, Wellington. (Based on observations 1960-65, and 1977) Gridref. N156-7 66-82- Alt.c.100ft. A.P. Druce, Botany Division, D.S.I.R., 1966* (revised July 1972, May 1974, June 1975, August 1977, June 1979, June 1980, July 1985, August 1990) (*Originally published in Bull. Wellington Bot. Soc. 33:22-39)

Enright P. (2002) Plant Checklist for bush and swamp area on the Pritchard Property North of Ōtaki, alt. 20m a.s.l. Grid reference: S25 931 501. List compiled 20th January, 2002.

Enright, P. & John, O. (2000) Plant checklist for a bush fragment at Te Horo, Centred on Grid reference Topomap R26 & Pt R25 870397. List compiled 15th April 2000 and 30th April 2000.

Enright, P. & John, O. (2002) Vascular Plants in Bush and Swamp area at the end of Taylors Road North of Ōtaki, Gridref. Topomap S25 931501 Alt 20m a.s.l. List compiled 19th January, 2002.

Mitcalfe, B. J. & Horne, J.C. (2012) "Te Rama", 516 State Highway 1, RD 1, Waikanae 5391. NZTOPO50-BP32 Paraparaumu, centred on grid reference 73807205. List compiled on 18 July 2012 during a 3.5-hour reconnaissance.

Ogle, C. (1986) Vegetation and Flora of Koputaroa Snail Reserve, Horowhenua. List compiled 1st April, then revised 6th October 1986.

- 113 Perrie, L.** (2022) InaturalistNZ Observation, *Achrophyllum dentatum*. <https://inaturalist.nz/observations/137115338> Observed 1st October 2022. Found online in February 2024.
- 117 Perrie, L.** (2022) InaturalistNZ Observation, *Calomnion complanatum*. <https://inaturalist.nz/observations/137706534> Observed 1st October 2022. Found online in February 2024.
- 125 Perrie, L.** (2022) InaturalistNZ Observation, *Symphyogyna subsimplex*. <https://inaturalist.nz/observations/137115429> Observed 1st October 2022. Found online in February 2024.
- 127 Perrie, L.** (2022) InaturalistNZ Observation, *Symphyogyna hymenophyllum*. <https://inaturalist.nz/observations/137115249> Observed 1st October 2022. Found online in February 2024.
- 139 Perrie, L.** (2022) InaturalistNZ Observation, *Pallavicinia tenuinervis*. <https://inaturalist.nz/observations/137115247> Observed 1st October 2022. Found online in February 2024.
- Ravine, D & Townsend, A.** (1993) RAP 8 Castle Hill Farm, Study Area 35, Grid reference S25 935 465. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 13th September, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 3 Denton's Bush, Study Area 22, Grid reference S25 948 430. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 16th September, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 4 Ainslie Farm Bush, Study Area 23, Grid reference S25 919 431. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 16th September, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 6 Croad's Road Gully, Study Area 28, Grid reference S25 953 432. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 16th September, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 9 Pritchard's Swamp, Study Area 40, Grid reference S25 934 499. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 28th September, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 10 Keeling's Bush, Study Area 45a, Grid reference S25 940 515. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 30th September, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 11 Takapu Road Bush, Study Area 47, Grid reference S25 943 517. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 30th September, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 5 Kirkwell Bush No. 4, Study Area 25, Grid reference S25 932 434. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 7th October, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 1 Faith's Bush, Study Area 16c, Grid reference S25 883 428. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 18th October, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 2 Moffat's Bush, Study Area 18a, Grid reference S25 957 413. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 22nd October, 1993.
- Ravine, D & Townsend, A.** (1993) RAP 7 Hughes Bush B, Study Area 32b, Grid reference S25 746 450. Manawatu Plains Ecological District – Survey Report for the Protected Natural Areas Programme 1995, Crown copyright Reserved. Department of Conservation, Wanganui, New Zealand. List compiled 13th December, 1993.
- Townsend, A.** (1993) Plant Checklist for site 19: Mangaone Stream floodplain, Hautere Plain, Ōtaki. Gridref. NZMS 260 S25 902419. List compiled 14th October, 1993.

- 15** Ward, M.D. (2010) Personal Observation, on Kiripiti Scientific Reserve, Ōtaki, *Korthalsella lindsayi* growing on *Melicope simplex*. I have managed to find more than one plant hosting the parasite therefore suggesting there are more to be found. Observed 21st May 2010.
- 21** Ward, M.D. (2010) Personal Observation, *Leucopogon fasciculatus* seen in swampy area of the Pukehou Swamp, Ōtaki. Observed 27th October 2010.
- 24** Ward, M.D. (2010) Personal Observation, *Caladenia variegatus* growing as a lone specimen at Kiripiti Scientific Reserve amongst the leaf litter. Observed 6th December 2010.
- 28** Ward, M.D. (2011) Personal Observation, *Fuscospora solandri*, seen growing on the banks of the Ōtaki River, in an area that is very close to the border of this ecological district and that of the Tararua Ecological District. Observed 5th October 2011.
- 29** Ward, M.D. (2011) Personal Observation, *Coriaria sarmentosa*, during a 60-minute visit to the Ōtaki Gorge Road Reserve, growing on the lower bank of the true left of the Ōtaki River. Observed 31st October 2011.

54 Ward, M.D. (2015) Personal Observation, *Pterostylis montana*, in Kiripiti Scientific Reserve. I have seen this colony before but, refrained from adding it as I was not so sure of its species, I am confident this year to add it to the list. Observed 23rd November 2015.

60 Ward, M.D. (2016) Personal Observation, *Corybas oblongus*, in Kiripiti Scientific Reserve. Observed 4th November 2016.

62 Ward, M.D. (2017) Personal Observation, *Corybas cheesemanii*, in the lower reaches of Paraparaumu Scenic Reserve. Observed 14th July 2017.

65 Ward, M.D. (2017) Personal Observation, *Caladenia chlorostyla*, in Kiripiti Scientific Reserve. Observed 14th November 2017.

Wassilieff, M.C. & Clark, D.J. (1986) Plant Checklist for Kiripiti Scientific Reserve. Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Prepared by Wassilieff, M. C.; Clark, D. J. Gridref. N157 667 823. List compiled in September 1983.

Wassilieff, M.C. & Clark, D.J. (1986) Plant Checklist for Waikanae Scenic Reserve. Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Prepared by M.C. Wassilieff and D.J. Clark. Gridref.N 157 618 752, List compiled in November 1983.

TARARUA ECOLOGICAL DISTRICT

Brownsey, P.J. (1990) List of Ferns from Kaitawa Scenic Reserve, Mangaone Walkway. List compiled 4th August 1990

Brownsey, P.J. (Unknown) Species List of Ferns for Akatarawa Saddle and Waterfall Creek. Date list compiled unknown.

123 Candler, G. (2020) InaturalistNZ Observation, *Weymouthia mollis*, Hemi Matenga Reserve. <https://inaturalist.nz/observations/59846967> Observed September 17th, 2020. Found online February 2024.

132 Candler, G. (2018) InaturalistNZ Observation, *Macromitrium longipes*, Mount Maunganui. <https://inaturalist.nz/observations/15510094> Observed July 18th 2018. Found online February 2024

Coulter, I. (1965) Partial Species List Mangaone Walkway. Prepared by Workers Education Association (WEA); (fern class). August 1973.

Department of Conservation (1980) *Caladenia minor*, Maungakotukutuku Valley, Maunganui and Titi. New Zealand Plant Conservation Network Plant distribution data. Accessed November 20th, 2018.

Department of Conservation (1981) *Townsonia deflexa*, Renata Ridge, Tararua Range. New Zealand Plant Conservation Network Plant distribution data. Accessed November 23rd, 2018

Department of Conservation (1986) *Caladenia minor*, Kaitawa Scenic Reserve. New Zealand Plant Conservation Network Plant distribution data. Accessed November 20th, 2018.

Department of Conservation (1997) *Pseudopanax lessonii*, Hemi Matenga Scenic Reserve. New Zealand Plant Conservation Network Plant distribution data. Accessed November 8th, 2018.

Department of Conservation (2000) *Peraxilla colensoi*, Plateau Stream above Otaki Forks. New Zealand Plant Conservation Network Plant distribution data. Accessed November 8th 2018.

Department of Conservation (2004) *Peraxilla colensoi*, Waitewaewae River catchment. New Zealand Plant Conservation Network Plant distribution data. Accessed November 8th 2018.

83 Dillon, J. (2021) InaturalistNZ Observation, *Veronica tetragona* ssp. *subsimilis*, Upper reaches of the Tararua's. <https://inaturalist.nz/observations/102145080> Observed 29th November 2021. Found online January 2024.

115 Dillon, J. (2021) InaturalistNZ Observation, *Achrophyllum quadrifarium*. <https://inaturalist.nz/observations/100387629> Observed 6th November 2021. Found online January 2024.

78 Dillon, J. (2022) InaturalistNZ Observation, *Carex acicularis*, Mt Hector. <https://inaturalist.nz/observations/145564470> Observed 30th December 2022. Found online January 2024.

82 Dillon, J. (2022) InaturalistNZ Observation, *Bulbinella hookerii*, Mt Hector and along ridge. <https://inaturalist.nz/observations/145564364> <https://inaturalist.nz/observations/145564329> Observed 30th December 2022. Found online January 2024.

103 Dillon, J. (2022) InaturalistNZ Observation, *Leucogenes leontopodium* x *Raoulia rubra*, Mt Hector and along ridge. <https://www.inaturalist.org/observations/145564344> Observed 30th December 2022. Found online January 2024.

140 Dillon, J. (2022) InaturalistNZ Observation, *Anaphalioides alpina*, Mt Hector and along ridge. <https://inaturalist.nz/observations/145564391> Observed 30th December 2022. Found online March 2024.

114 Dillon, J. (2023) InaturalistNZ Observation, *Achrophyllum dentatum*. <https://inaturalist.nz/observations/166552647> Observed 10th June 2023. Found online January 2024

135 Dillon, J. (2023) InaturalistNZ Observation, *Trachyloma diversinerve*. <https://inaturalist.nz/observations/195894527> Observed 30th December 2023. Found online February 2024.

Druce, A.P. (1964 -1990) Plant Checklist for Hadfields Bush, Paraparaumu, Wellington. Gridref.: N157, 560, 680. List compiled in 1964. Revised 1972, April 1974, June 1979, June 1980, July 1985, May 1988, August 1990.

Druce, A.P. (1964 -1990) Plant Checklist for Mount Kapakapanui, Tararua Range. Prepared by Tony Druce. Druce list number: 37. Gridref.: N157, 688, 650. List compiled in July 1974. revised in June 1975, June 1976, May 1977, June 1979, June 1980, November 1984, April 1985, August 1990, July 1991.

Enright, P.; John, O.; Wright, K. (1997 - 2002) List of vascular plants in the bush area at Bluff Hill on Reikorangi Road, Topomap R26 & Pt R25 850316 100 – 200m asl. List compiled April 97, July 2002, August 2002.

Enright, P.; John, O.; Ogle, C. (1973-2015) List of Indigenous Vascular Plants of Maungakotukutuku Valley including Eastern Ridge and Maunganui (2322ft). List updated January, 2015.

Enright, P. & John, O. (1997- 2004) Paraparaumu Scenic Reserve including F & B Field Reserve and adjacent DOC covenant – Original list taken from *Scenic Reserves of the Lower North Island* M C Wassilieff, D J Clark and I Gabites. (DJC, MCW 20 hrs Oct 1983). Additional surveys: Pat Enright & Olaf John 09/08/97 Pat Enright 16/8/97; Pat Enright, Olaf John 23/8/03 (3½hrs) Electricity 4wd road and surrounds and section of bush on flat next to Nikau Lakes subdivision. Pat Enright, Olaf John 30/8/03 (5hrs) Bush patch between road and coast. Along the northern boundary to where creek passes into the reserve, then up the slope onto the ridge and on up to top. Pat Enright 6/9/03 (3hrs) Southern boundary from Muaupoko Stream to xx. Pat Enright, Olaf John 13/9/03 kanuka area west of the road end Nikau Lakes and flat area above true right of Muaupoko Stream at start of 4wd track; Pat Enright, Olaf John 26/9/03 (3hrs) Muaupoko Stream along northern boundary for about 400m. Up two of the ridges; Pat Enright, Olaf John 2/10/03 (3hrs) Along northern boundary to where covenant boundary swings up the hill. Up a couple of the ridges. Pat Enright, Olaf John 11/10/93 (4hrs) Through F & B Reserve and along the boundary fence ridge, then up the valley an along bottom of the vegetation on the next hillside. Pat Enright, Olaf John 16/10/03 (4hrs) Up the ridge on northern boundary to a point at E2682355 N6031115. From clearing down to boundary fence at boggy stream (E26882380 N6031243) then to mida site. Pat Enright, Olaf John 18/10/03 (5hrs) Up the northern boundary to xxx then down the ridge line to the other side of the reserve. Trichomanes elongatum site and the boggy forest near the gate. Pat Enright, Olaf John 29/11/03 Along edge of the bush on the 4WD track and then up the fenceline that runs up the ridge line on the true left of the valley. Pat Enright, Olaf John 2/10/04 (1hr) ridge behind F&B Reserve. Grid Ref. Topomap R26 & Pt R27 72-14/15

Falconer, G. & McAlpine, M. (2007) Plant Checklist for Whareroa Farm – Sheep and Beef Unit, Paekākāriki, Kāpiti District. Centred on NZMS 260 Sheet R26 Paraparaumu.

86 Forbes, Y. (2013) InaturalistNZ Observation (yforbes), *Euphrasia drucei*, near Maungamuka hut, Tararua range. <https://inaturalist.nz/observations/2733914> First observation posted December 2013. Found online in January 2024.

104 Forbes, Y. (2013) InaturalistNZ Observation (yforbes), *Bulbinella gibbsii* var. *balanifera*, near Maungamuka hut, Tararua range. <https://www.inaturalist.org/observations/19528491> First observation posted December 2013. Found online in January 2024.

112 Littlejohn, J. (2022) InaturalistNZ Observation, *Gentianella bellidifolia*, Tararua tops. <https://inaturalist.nz/observations/132988945> First observation posted 16th January 2022. Found online in February 2024.

105 McKay, A. (2018) InaturalistNZ Observation, *Polytrichum juniperinum*, Maungakotukutuku Valley. <https://www.inaturalist.org/observations/17239338> Observed December 2018. Found online in January 2024.

131 McKay, A. (2018) InaturalistNZ Observation, *Racomitrium lanuginosum*, Maungakotukutuku Valley. <https://inaturalist.nz/observations/17239801> Observed 6th October 2018. Found online in February 2024.

Mitcalfe, B.J. & Horne, J.C. (1997) Some Indigenous Vascular Plants of Upper Parts Two Remnants on the Raumati Escarpment, Centred on NZMS 260 R26 and Pt R25 Map Paraparaumu, G.R.s 783285 and 782281; List compiled 27th April, 1997.

Mitcalfe, B.J. & Horne, J.C. (1999) A Selection of the Indigenous Vascular Plants in Nikau Scenic Reserve, NZMS 260 map R26 Paraparaumu, G.R. 804313, Hemi Matenga Memorial Park Scenic Reserve, G.R. 857350, Paraparaumu Scenic Reserve, G.R. 817315, and Raroa Scenic Reserve, G.R. 680173, for Tararua Tramping Club Botany trip, 27th November 1999, list compiled by B. J. Mitcalfe and J.C. Horne, from lists by C. Ogle, M. Wassilieff, D. J. Clark and I. Gabites.

National Vegetation Survey (1958) *Phyllachne colensoi* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1155306 Accessed November 26th, 2018.

National Vegetation Survey (1958/1975) *Ourisia macrocarpa* New Zealand Plant Conservation Network Plant distribution data. Plot observations 72403/ 59510 Accessed November 26th, 2018.

National Vegetation Survey (1958/1995) *Hymenophyllum villosum* New Zealand Plant Conservation Network Plant distribution data. Plot observations 72590; 72391/ 72650; 72651; 72652; 72653; 72656; 72657 Accessed November 8th, 2018.

National Vegetation Survey (1958/1959/1975/1985/1994/1995) *Nertera dichondrifolia* New Zealand Plant Conservation Network Plant distribution data. Plot observations 72395; 72403; 72404/ 72357; 72358; 72362; 72372/ 39356; 39358; 39360; 39361; 39365; 39413; 39422; 39423/ 26421; 26478; 26479; 26482; 26483; 26510; 26514; 26545; 26546/ 72654; 72655/ 72649; 72650 Accessed November 26th, 2018.

National Vegetation Survey (1958/1959/1963/1964/1975/1985) *Poa colensoi* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1155310/1155211; 1155212; 1155216/1154183/71196; 71197;1154104; 1154108; 1154110; 1154113/59495; 59508; 59509/1151668; 1151669 Accessed November 23rd, 2018.

National Vegetation Survey (1959) *Euphrasia monroi* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1155210; 1155211; 1155212 Accessed November 26th, 2018.

National Vegetation Survey (1959/1964) *Plantago triandra* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1155211; 1155216/ 1154104; 1154108 Accessed November 26th, 2018.

National Vegetation Survey (1959/1964/1974/1985) *Anisotome aromatica* New Zealand Plant Conservation Network Plant distribution data. Plot observations 155211; 1155212; 1155214; 1155215/11541108/1152788/1151668; 1151669; 1151675 Accessed November 26th, 2018.

National Vegetation Survey (1959/1964/1974/1985) *Raukia grandiflora* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1155211; 1155212; 1155214/11541108/1152788/1151668; 1151675 Accessed November 26th, 2018.

National Vegetation Survey (1959/1964/1975/1985) *Zotovia colensoi* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1155211; 1155212;1155215; 1155216/11541104; 1154108; 1154110; 1154113/59499; 59508; 59509/1151668; 1151669 Accessed November 23rd, 2018.

National Vegetation Survey (1963) *Coprosma pedicellata* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1120581 Accessed November 1st 2018

National Vegetation Survey (1963) *Veronica venustula* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1154183 Accessed November 8th 2018

National Vegetation Survey (1964) *Abrotanella linearis* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1154105 Accessed November 7th 2018

National Vegetation Survey (1964) *Coprosma parviflora* New Zealand Plant Conservation Network Plant distribution data. Plot observation 71201 Accessed November 1st 2018

National Vegetation Survey (1964) *Dracophyllum recurvum* New Zealand Plant Conservation Network Plant distribution data. Plot observations 712114; 71197 Accessed November 8th 2018

National Vegetation Survey (1964) *Poa kirkii* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1154104; 1154108; 1154110; 1154112 Accessed November 23rd 2018

National Vegetation Survey (1964) *Trisetum youngii* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1154112 Accessed November 23rd 2018

National Vegetation Survey (1964/1975) *Drosera spatulata* New Zealand Plant Conservation Network Plant distribution data. Plot observations 1154104; 1154108; 1154112/ 59495 Accessed November 26th 2018

National Vegetation Survey (1974) *Anisotome haastii* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1152782; 1152784; 1152788; 1152789 Accessed November 26th 2018

National Vegetation Survey (1974) *Celmisia dubia* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1152784; 1152788 Accessed November 26th 2018

National Vegetation Survey (1974) *Coprosma cheesemanii* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1152784 Accessed November 1st 2018

National Vegetation Survey (1974) *Phyllachne clavigera* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1152789 Accessed November 26th 2018

National Vegetation Survey (1974) *Raoulia subulata* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1152788 Accessed November 26th 2018

National Vegetation Survey (1974/1975) *Ranunculus ternatifolius* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1152784; 1152788; 1152789/ 59457; 59467; 59468; 59469 Accessed November 26th 2018

National Vegetation Survey (1975) *Aciphylla colensoi* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59499 Accessed November 7th 2018

National Vegetation Survey (1975) *Aciphylla polita* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59495 Accessed November 7th 2018

National Vegetation Survey (1975) *Brachyglottis bidwillii* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59495 Accessed November 1st 2018

National Vegetation Survey (1975) *Chionochloa macra* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59508; 59501 Accessed November 23rd 2018

National Vegetation Survey (1975) *Coprosma microcarpa* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59391 Accessed November 1st 2018

National Vegetation Survey (1975) *Phyllocladus alpinus* New Zealand Plant Conservation Network Plant distribution data. Plot observation 60118 Accessed November 8th, 2018.

National Vegetation Survey (1975) *Phyllocladus toatoa* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59508 Accessed November 8th 2018

National Vegetation Survey (1975) *Pimelea longifolia* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59499 Accessed November 8th 2018

National Vegetation Survey (1975) *Veronica evenosa* New Zealand Plant Conservation Network Plant distribution data. Plot observation 59510 Accessed November 8th 2018

National Vegetation Survey (1985) *Aciphylla dissecta* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1151667 Accessed November 7th 2018

National Vegetation Survey (1985) *Euphrasia revoluta* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1151667; 1151668 Accessed November 26th 2018

National Vegetation Survey (1985) *Forstera tenella* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1151667; 1151668; 1151673; 1151675 Accessed November 26th 2018

National Vegetation Survey (1985) *Hierochloe recurvata* New Zealand Plant Conservation Network Plant distribution data. Plot observation 1151667; 1151668; 1151673 Accessed November 23rd 2018

Ogle, C. (1972) Plant Checklist for Mangaone Track, Akatarawa Range. Based on a visit on December 2nd 1972.

Ogle, C. (1980) Plant Checklist for Maungakotukutuku Valley, Maunganui (2322 ft.) and Titi. Combined unpublished lists of C.C. Ogle, visited 3/2/73, 29-31/12/73, 2/12/75, 16/3/76, 31/3/76, 2/6/76, 7/8/76, 7/11/76, A. P. Druce and Wellington Botanical Society.

Ogle, C. (1980) Mt Wainui and Surrounds including Wainui Stream Gorge – isolated bush remnants (N160 517-583, 512-586) and two ponds (512.587) and swampy areas on terraces of Wainui Stream, "Wainui" farm. Visits 15-16th March 1980 and Botsoc visit 1-2 November 1980, additions made by P Enright & O John (stream gorge and surrounds) 14th June 1997, 22nd June 1997.

- 128 Perrie, L.** (2014) InaturalistNZ Observation, *Symphyogyna hymenophyllum* seen on the Fenceline Track. Otaki. <https://inaturalist.nz/observations/1037251> Observed 25th October 2014. Found online in February 2024.
- 75 Perrie, L.** (2016) InaturalistNZ Observation, *Microtis oligantha*. <https://inaturalist.nz/observations/2591230> Observed 17th January 2016. Found online in January 2024.
- 80 Perrie, L.** (2018) InaturalistNZ Observation, *Raoulia rubra*, first recorded on InaturalistNZ. <https://inaturalist.nz/observations/9984107> Observed February 2018. Found online in January 2024.
- 95 Perrie, L.** (2018) InaturalistNZ Observation, *Chionochloa pallens* ssp. *pallens* seen in the Tararua tops. <https://inaturalist.nz/observations/10200626> Observed 11th March 2018. Found online in January 2024.
- 67 Perrie L.** (2018) InaturalistNZ Observation, *Dracophyllum longifolium* var. *Septentrionale*. <https://inaturalist.nz/observations/17237160> Observed 6th October 2018. Found online in January 2024.
- 89 Perrie, L.** (2019) InaturalistNZ Observation, *Ranunculus insignis* seen in the tops whilst traversing the Southern Crossing. <https://inaturalist.nz/observations/19526931> Observed 8th January 2019. Found online in January 2024.
- 87 Perrie, L.** (2019) InaturalistNZ Observation, *Montia calycina* seen in the tops whilst traversing the Southern Crossing. <https://inaturalist.nz/observations/19526906> Observed 8th January 2019. Found online in January 2024.
- 100 Perrie, L.** (2019) InaturalistNZ Observation, *Celmisia hieraciifolia* var. *hieraciifolia* seen in the tops, whilst traversing the Southern Crossing. <https://inaturalist.nz/observations/19526983> Observed 8th January 2019. Found online in January 2024.
- 102 Perrie, L.** (2019) InaturalistNZ Observation, *Notogrammitis crassior* seen in the tops, whilst traversing the Southern Crossing. <https://www.inaturalist.org/observations/19526901> Observed 8th January 2019. Found online in January 2024.
- 143 Perrie, L.** (2020) InaturalistNZ Observation, *Sphagnum cristatum* seen in the Akatarawa's. <https://inaturalist.nz/observations/40346224> Observed 21st March 2020. Found online in March 2024.
- 97 Perrie, L.** (2022) InaturalistNZ Observation, *Chiloscyphus muricatus* seen in the foothills in Te Horo. <https://inaturalist.nz/observations/137115255> Observed 1st October 2022. Found online in January 2024.
- 121 Perrie, L.** (2022) InaturalistNZ Observation, *Cryptopodium bartramoides* seen in the Kapakapanui area. <https://inaturalist.nz/observations/105491032> Observed 24th January 2022. Found online in February 2024.
- 122 Perrie, L.** (2023) InaturalistNZ Observation, *Cyathophorum bulbosum* seen in the Devil's elbow area, Reikorangi. <https://inaturalist.nz/observations/166535178> Observed 10th June 2023. Found online in February 2024.
- 73 Rowell, E.** (2016) InaturalistNZ Observation, *Danhatchia australis*, whilst doing survey work for DOC, in Hemi Matenga. <https://inaturalist.nz/observations/2640357> Observed February 2016, confirmed January 2021.
- 96 Shepard, L.** (2018) InaturalistNZ Observation (naturewatchwidow), *Veronica tetragona* ssp. *subsimplis* Tararua tops. <https://inaturalist.nz/observations/10181393> Observed 11th March 2018. Found online in January 2024.
- 101 Shepard, L.** (2018) InaturalistNZ Observation (naturewatchwidow), *Aciphylla intermedia* Tararua tops. <https://inaturalist.nz/observations/10181330> Observed 11th March 2018. Found online in January 2024.

109 **Shepard, L.** (2018) InaturalistNZ Observation (naturewatchwidow), *Leucogenes leontopodium* Tararua tops. <https://inaturalist.nz/observations/10181379> Observed 11th March 2018. Found online in February 2024.

91 **Shepard, L.** (2018) InaturalistNZ Observation (naturewatchwidow), *Schistochila appendiculata* Maungakotukutuku Valley. <https://inaturalist.nz/observations/17237768> Observed 6th October 2018. Found online in January 2024.

107 **Shepard, L.** (2021) InaturalistNZ Observation (naturewatchwidow), *Campylopus clavatus* Tararua tops. <https://inaturalist.nz/observations/102145035> Observed 26th November 2021. Found online in February 2024.

108 **Stephens, C.** (2024) InaturalistNZ Observation, *Phlegmariurus billardierei* seen in the foothills of the Maungakotukutuku Valley. <https://inaturalist.nz/observations/67301006> Observed 28th December 2022. Found online February 2024.

90 **Vandenhoeven, J.** (2015) InaturalistNZ Observation, *Veronica odora*, near the Tabletop, Tararua's. <https://inaturalist.nz/observations/1251084> Observed 21st February 2015. Found online in January 2024.

92 **Vandenhoeven, J.** (2015) InaturalistNZ Observation, *Dracophyllum rosmarinifolium*, near the Tabletop, Tararua's. <https://inaturalist.nz/observations/1251070> Observed 21st February 2015. Found online in January 2024.

119 **Vandenhoeven, J.** (2015) InaturalistNZ Observation, *Campylopus introflexus*, near the Tabletop, Tararua's. <https://inaturalist.nz/observations/1251077> Observed 21st February 2015. Found online in February 2024.

Van der Peet, D.L. (1984) Plant Checklist for Scrub and Low vegetation below tree-line, Mount Kapakapanui, Southern Tararua Range. Submitted in partial requirement for the Degree in Bachelor of Science with honours in Botany at V.U.W. August.

1 **Ward, M.D.** (2010) Personal Observation, *Hebe stricta* var. *stricta* seen on the bank of the Ōtaki River below the Bridgeview Track river access, on Ōtaki Gorge Road. Observed 13th January 2010.

2 **Ward, M.D.** (2010) Personal Observation, *Carmichaelia odorata* seen on the bank of the Ōtaki River below the Bridgeview Track river access, on Ōtaki Gorge Road. Observed 13th January 2010.

3 **Ward, M.D.** (2010) Personal Observation, *Orthoceras novae-zeelandiae* seen on a clay bank of the Hautere water supply reserve, reserve was accessed from 530 Ōtaki Gorge Road. Observed 13th January 2010.

4 **Ward, M.D.** (2010) Personal Observation, *Olearia cheesemanii* seen on the bank of the Ōtaki River on a rocky out crop at the intersection of a tributary and the main river below the un-sealed section of Ōtaki Gorge Road. Observed 8th February 2010.

6 **Ward, M.D.** (2010) Personal Observation, *Corunastylis nuda*, observed a couple of specimens growing in a wet peaty area above the Ōtaki River. Observed 12th May 2010.

136 **Ward, M.D.** (2010) Personal Observation *Carex dipsacea*, in the Otaki forks area in several spots in wetlands. Observed 12th May 2010.

8 **Ward, M.D.** (2010) Personal Observation, *Acianthus sinclairii* seen in several locations in leaf litter on the second west facing slope of what is known as the Muaupoko Bush East of SH1 when travelling eastward, Paraparaumu. Observed 27th May 2010.

9 **Ward, M.D.** (2010) Personal Observation, *Pterostylis alobula* seen in several locations in leaf litter on the second west facing slope of what is known as the Muaupoko Bush East of SH1 when travelling eastward, Paraparaumu. The specimens in one situation were growing side by side on a mossy patch that had grown on a low-lying horizontal growth of mature *Olearia paniculata* trunk which had a diameter of approximately 500mm. Observed 27th May 2010.

10 Ward, M.D. (2010) Personal Observation, *Pterostylis trullifolia* seen in several locations in leaf litter on the second west facing slope of what is known as the Muaupoko Bush East of SH1 when travelling eastward, Paraparaumu. The specimens in one situation were growing side by side on a mossy patch that had grown on a low-lying horizontal growth of mature *Olearia paniculata* trunk which had a diameter of approximately 500mm. Observed 27th May 2010.

14 Ward, M.D. (2010) Personal Observation, *Carex testacea* found growing beside a D.O.C. trapping line on the Northwest facing easternmost section of the Paraparaumu Scenic Reserve. The specimens were growing below *Dysoxylum spectabile* in a semi clearing which would have been created by a tree fall. Observed 27th July 2010.

84 Ward, M.D. (2010) Personal Observation, *Dawsonia superba*, seen in several places including the Mangone south track and The Fence-line Track. First observed July 12th, 2010.

13 Ward, M.D. (2010) Personal Observation, "Corybas longipetalus" (Ined.), located along the wet banks of the Otaki gorge road. Observed 14th July 2010.

15 Ward, M.D. (2010) Personal Observation, *Corybas oblongus* a small colony initially found on the upper section of the Fence-line track. Observed 25th August 2010.

16 Ward, M.D. (2010) Personal Observation, *Corybas iridescens* trackside in the Ōtaki Forks vicinity. Observed 30th August 2010.

17 Ward, M.D. (2010) Personal Observation, *Drymoanthus flavus* specimens found on wind fallen *Beilschmiedia tawa* section on the Southern lookout route of the Nikau Reserve. Observed 13th October 2010.

19 Ward, M.D. (2010) Personal Observation, *Pterostylis graminea*, growing trackside in the Ōtaki Forks area. Observed 18th October 2010.

20 Ward, M.D. (2010) Personal Observation, *Brachyglossis kirkii* var. *kirkii* growing as an epiphyte on *Beilschmiedia tawa* in the Maungakotukutuku Scenic Reserve, Paraparaumu. Observed 26th October 2010.

22 Ward, M.D. (2010) Personal Observation, *Caladenia variegata* growing as a loan specimen on the clay bank beside the entrance track of the Hautere Water Tank Reserve, Ōtaki. Observed 22nd November 2010.

23 Ward, M.D. (2010) Personal Observation, *Caladenia chlorostyla* in flower, growing on the forest floor in mature mixed podocarp forests alongside the access tracks in both the Kaitawa Scenic Reserve, Rekorangi, and Maungakotukutuku Scenic Reserve, Paraparaumu. Observed 3rd & 9th December 2010 respectively.

25 Ward, M.D. (2010) Personal Observation, *Nertera scapanoides* growing on the forest floor on rotting stump about half way up the southern side of the tramping track, noted whilst tramping in the weekend. Observed2010.

26 Ward, M.D. (2010) Personal Observation, *Pterostylis cardiostigma*, trackside in the Ōtaki Forks area. Observed 15th December 2010.

85 Ward, M.D. (2011) Personal Observation, *Veronica lanceolata*, seen in several places including the Otaki Forks, and Waitawaewae Track. First observed 6th April 2011.

69 Ward, M.D. (2011) Personal Observation, *Gunnera monoica*, growing in the vicinity of the Otaki forks, originally spotted July 2011, confirmed January 2019.

30 Ward, M.D. (2011) Personal Observation, *Olearia virgata*, only a single specimen noted at this first inspection growing in the under-storey in a soggy part of the walking track Te Araroa between The fenceline track and Mangoane Walkway. Observed 19th July 2011.

31 Ward, M.D. (2011) Personal Observation, *Coprosma dumosa*, abundantly growing along side the track which ascends to the Field Hut and Syme Hut, when travelling from the Boielles Flat terminus in the Ōtaki Forks. Observed 20th July 2011.

32 Ward, M.D. (2011) Personal Observation, *Blechnum parrisiae*, noted in several places in similar growing conditions which are generally below kānuka/mānuka on North facing slopes, the first observation was on the lower levels of the Paraparaumu Scenic Reserve boundary with private property on the easternmost reaches. Observed 10th August 2011.

- 33 Ward, M.D.** (2011) Personal Observation, *Pittosporum cornifolium* growing high in the canopy of a *Dacrydium cupressinum* beside one of the track which head east in the Maungakotukutuku Scenic Reserve. Observed 30th August 2011.
- 111 Ward, M.D.** (2011) Personal Observation *Azorella nitens*, Waitewaewae track, Otaki Forks. Observed 26th September 2011.
- 137 Ward, M.D.** (2011) Personal Observation *Marchantia berteroana*, in the goblin beech forest of Mount Kapakapanui. Observed 5th October 2011.
- 36 Ward, M.D.** (2011) Personal Observation, *Coprosma rugosa*, during a 80 minute visit to the Ōtaki Forks area travelling over to the Waitewaewae Track Suspension bridge an area west of the bridge at river level contained a *Coprosma rugosa* I wasn't sure of its species until going for a walk with Olaf John and Chris Moore, which after using a hand lense and reference book concluded this specimens authenticity. Confirmed finding from earlier observation on 7th November 2011.
- 37 Ward, M.D.** (2011) Personal Observation, *Brachyglottis elaeagnifolia*, growing beside the track on the upper reaches of the Fenceline Track, Ōtaki Forks. Observed 30th November 2011.
- 38 Ward, M.D.** (2011) Personal Observation, *Pterostylis areolata*, found a colony growing on the top of Mount Kapakapanui. Observed 20th December 2011.
- 39 Ward, M.D.** (2011) Personal Observation, *Pterostylis venosa*, several colonies growing on the top. *Aporostylis bifolia*, seen in abundance in the high open areas.Observed 20th December 2011.
- 41 Ward, M.D.** (2012) Personal Observation, *Aristotelia fruticosa*, spotted growing on the side of the track near the top of Mount Maunganui. Observed 12th January 2012.
- 42 Ward, M.D.** (2012) Personal Observation, *Prasophyllum colensoi* several specimens seen in fruit beside a mānuka/shpagnum dominated wetland on the immediate western wetland from the opening out of the track on the Waitewaewae trail. Observed 18th January 2012.
- 43 Ward, M.D.** (2012) Personal Observation, *Spiranthes novae-zelandiae* numerous specimens forming a large colony of about 100 plants, this is only the third group of plants known in the Greater Wellington area. This species is regarded as Nationally Vulnerable and therefore makes this find a special one. Observed 5th March 2012.
- 45 Ward, M.D.** (2012) Personal Observation, *Corybas cheesemanii*, a small colony of white specimens growing near a trapping line under *Kunzea robusta*. Observed 20th August 2012.
- 81 Ward, M.D.** (2013) Personal Observation, *Gentianella montana* ssp. *ionostigma*, seen in flower South of Waiopehu Hut, Tararua's. Observed 12th January 2013.
- 48 Ward, M.D.** (2013) Personal Observation, *Asplenium hookerianum* var.*colesoi*, a couple of specimens growing below a bush covered rock face on the Raumati escarpment. Observed March 5th 2013. Also spotted in the Devil's Elbow remnant with sporangia present, on 28th January 2015.
- 50 Ward, M.D.** (2014) Personal Observation, *Gastrodia molloyi*, numerous small colonies of this newly named species, found growing in association with rotten *Beilschmiedia tawa* stumps. Observed 22nd January 2014.
- 51 Ward, M.D.** (2014) Personal Observation, *Hoheria sexstylosa*, a fantastic specimen noted growing beside the Maungakotukutuku stream. Specimen is approximately 15metres high. Observed 1st April 2014.
- 52 Ward, M.D.** (2014) Personal Observation, *Hebe parviflora*, growing beside a small watercourse on the proposed dam site in Nikau Valley. Observed 16th July 2014.
- 53 Ward, M.D.** (2015) Personal Observation, *Thelymitra cyanea*, a white form found growing on the top of Mount Kapakapanui. Observed 13th January 2015.
- 54 Ward, M.D.** (2015) Personal Observation, *Pterostylis patens*, found growing on the top of Mount Kapakapanui. Observed 13th January 2015.

- 126 Ward, M.D.** (2016) Personal Observation *Symphyogyna subsimplex*, about halfway up Mount Maunganui, Maungakotukutuku Valley. Observed 6th January 2016.
- 56 Ward, M.D.** (2016) Personal Observation, *Centipeda aotearoana* growing in the wetland at Raumati South in QE Park. Pat Enright put me onto these few specimens. Observed 15th February 2016.
- 57 Ward, M.D.** (2016) Personal Observation, *Corybas walliae*, growing roadside in the Otaki forks vicinity. Observed originally 1st August 2012, described 12th August 2016.
- 58 Ward, M.D.** (2016) Personal Observation, *Corybas aff. rivularis* "Kaitarakihi" growing trackside on the Mangaone track. Observed 22nd September 2016.
- 59 Ward, M.D.** (2016) Personal Observation, *Corybas dienemus* growing trackside on private property in the Otaki forks vicinity. Observed 29th October 2016.
- 61 Ward, M.D.** (2017) Personal Observation, *Pterostylis irsoniana* growing roadside in Akatarawa Saddle vicinity. Observed 29th January 4th 2017.
- 74 Ward, M.D.** (2017) Personal Observation(s), *Thelymitra hatchii*, when finding this species up by the Akatarawa saddle, I realised this was not the first time I had seen this species in the district, yet somehow it had not been listed. Observed 13th January 2017 – January 2024.
- 99 Ward, M.D.** (2017) Personal Observation, *Ourisia macrophylla* ssp. *macrophylla*, trackside enroute to Tabletop. First observed 13th January 2017.
- 63 Ward, M.D.** (2017) Personal Observation, *Corybas vitreus* growing roadside in Otaki forks vicinity. Observed 1st August 2017.
- 64 Ward, M.D.** (2017) Personal Observation, *Veronica angustissima* growing in the margin just above heavy flooding along the upper reaches of the Ōtaki River confirmed with Pat Enright present. Observed 18th October 2017.
- 68 Ward, M.D.** (2018) Personal Observation, *Corybas macranthus* growing trackside in Otaki forks vicinity. Observed 10th November 2018.
- 76 Ward, M.D.** (2018) Personal Observation, *Thelymitra colensoi*, seen trackside enroute to Mt Maunganui, in Maungakotukutuku Valley. Observed 6th December 2018.
- 88 Ward, M.D.** (2021) Personal Observation, *Chaerophyllum colensoi* var. *colensoi*, seen on the roadside near the Akatarawa Saddle. First observed 15th December 2021.
- Wassilieff, M.C.** (Unknown) Plant Checklist for Raumati Escarpment reserve. Species recorded on the escarpment. Preliminary Draft Management Plan.
- Wassilieff, M.C. & Clark, D.J.** (1986) Plant Checklist for Hemi Matenga Memorial Park Scenic Reserve. Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Gridref. N157 625 747 - 614 706. List compiled in November-December 1983.
- Wassilieff, M.C. & Clark, D.J.** (1986) Plant Checklist for Kaitawa Scenic Reserve. Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. D. J. Gridref. N157 651 752 - 655 706. List compiled in October 1983, February 1984.
- Wassilieff, M.C. & Clark, D.J.** (1986) Plant Checklist for Nikau Scenic reserve. Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Gridref. N157 561 681. List compiled in November 1983.
- Wassilieff, M.C. & Clark, D.J.** (1986) Plant Checklist for Old Game Farm Scenic Reserve (Maungakotukutuku). Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. List compiled July 1984.
- Wassilieff, M.C. & Clark, D.J.** (1986) Plant Checklist for Paraparaumu Scenic Reserve. Scenic Reserves of the Lower North Island. Biological Survey of Reserves No. 14. Gridref.: N157 057 50685. List compiled October 1983.
- Wellington Botanical Society** (1999) Plant checklist for some indigenous vascular plants in the vicinity of track from Maungakotukutuku Valley track to Mt Maunganui summit, centred on NZMS 260 R26, map Paraparaumu, G.R. 816247. List compiled 4th September 1999.

- White, P.** (1999) Plant Checklist for Field Reserve, Paraparaumu. Appendix 1 to the Field Reserve Management Plan, Forest & Bird. List compiled in June 1999.
- Zotov, V. D.** (1930) Plant Checklist for Tararua Forest (including site lists for Waiopahu Track, Palmer's camp, Waiopahu, Off Waiopahu, Twin Peak, Gable End, Ohau River)- Diary notes of field excursion.
- Zotov, V. D., Elder, N. L., Beddie, A. D., Sainsbury, G. O. K., & Hodgson, E. A.** (1938). An outline of the vegetation and flora of the Tararua Mountains. In *Transactions and proceedings of the Royal Society of New Zealand* (Vol. 68, pp. 259-324).
- WELLINGTON ECOLOGICAL DISTRICT**
- Enright, P. & John, O.** (1998) QEII Covenant – Collyns Forest Park, Paekākāriki Hill Road. Gridref. Topomap R26 & Pt R27 725-155. List compiled 26th October, 1998.
- Enright, P.; Ogle, C.; John, O.** (1980-1997) Mt Wainui and surrounds including Wainui Stream Gorge. N160 517-583, 512-586 Observations mad Colin ogle 15-16/3/80 and Botsoc 1-2/11/80 Pat Enright and Olaf john 14/6/97 & 22/6/97
- Gabites, I.** (1998) Plant Checklist for Paekākāriki Hill Road. Generalised site descriptions – Mana Island revegetation using mainland sites as points of reference . Gridref. NZMS 260 R26 735 213. List compiled in 1994.
- Gabites, I.** (1994) Plant Checklist for Clarke Reserve A - shallow gully, N aspect (TwS). Generalised site descriptions. List compiled in 1994.
- Gabites, I.** (1994) Plant Checklist for Clarke Reserve B - gully, E aspect (TwS). Generalised site descriptions. List compiled in 1994.
- 124 McKay, A.** (2017) InaturalistNZ Observation, *Weymouthia mollis*, Mount Wainui. <https://inaturalist.nz/observations/6488321> Observed 4th June 2017. Found online in February 2024.
- 110 Perrie, L.** (2015) InaturalistNZ Observation, *Geranium solanderi*, seen in area above the Paekakariki end of the track to Pukerua Bay. <https://inaturalist.nz/observations/1597834> Observed 6th June 2015. Found online in February 2024.
- 120 Perrie, L.** (2019) InaturalistNZ Observation, *Campylopus introflexus*, seen in the hills East of Paekakariki. <https://inaturalist.nz/observations/1597834> Observed 30th March 2019. Found online in February 2024.
- 116 Shepard, L.** (2022) InaturalistNZ Observation (naturewatchwidow), *Achrophyllum quadrifarium*. <https://inaturalist.nz/observations/138805524> Observed 15th October 2022. Found online in February 2024.
- 47 Ward, M.D.** (2012) Personal Observation, *Prasophyllum colensoi*, numerous specimens growing on the farm cutting on the track up to Mount Wainui when coming up from the Whareroa farm direction. Observed 12th December 2012.
- 49 Ward, M.D.** (2013) Personal Observation, *Arthropodium cirratum* growing on steep rocky banks not far from the coast in Paekākāriki. Likely a remnant from Māori settlement which has then allowed the naturalisation of the species. Observed 16th December 2013.